



US00D787290S

(12) **United States Design Patent** (10) **Patent No.:** **US D787,290 S**
Meyer et al. (45) **Date of Patent:** **** May 23, 2017**

(54) **PNEUMATIC NAILER**
(71) Applicant: **Illinois Tool Works Inc.**, Glenview, IL (US)
(72) Inventors: **Robert J. Meyer**, Palatine, IL (US); **Jean-Luc Simonin**, Barcelonne (FR)
(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)
(**) Term: **15 Years**

6,948,647 B1 * 9/2005 Niblett B25F 5/02
227/130
D549,538 S * 8/2007 Lee D8/69
D553,931 S * 10/2007 Buck D8/68
D554,963 S 11/2007 Holderfield et al.
7,318,546 B2 1/2008 Segura et al.
D562,664 S * 2/2008 Buck D8/69
D582,743 S * 12/2008 Buck D8/68
7,571,841 B2 8/2009 Gibson et al.
D677,543 S * 3/2013 Jerabek D8/68
D687,695 S * 8/2013 Albrecht D8/68
D713,704 S * 9/2014 Wang D8/68
D724,404 S * 3/2015 Fischer-Zernin D8/68

(Continued)

(21) Appl. No.: **29/554,325**
(22) Filed: **Feb. 10, 2016**
(51) **LOC (10) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/68**
(58) **Field of Classification Search**
USPC D8/61-70
CPC .. B25C 1/001; B25C 1/04; B25C 1/06; B25C
1/041; B25C 1/047
See application file for complete search history.

OTHER PUBLICATIONS

Paslode® Model PF350-S Strip Nailer Operating Manual and Schematic, Apr. 2009 (16 pages).

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Neal, Gerber & Eisenberg LLP

(57) **CLAIM**

The ornamental design for a pneumatic nailer, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D260,354 S * 8/1981 Proops D8/61
D353,664 S * 12/1994 Eminger D8/69
D379,912 S * 6/1997 Burke D8/61
D435,205 S * 12/2000 Etter D8/68
D435,206 S * 12/2000 Etter D8/68
6,592,014 B2 7/2003 Smolinski
D483,240 S * 12/2003 Garvis D8/68
D484,383 S * 12/2003 Yang D8/68
D484,765 S * 1/2004 Yang D8/68
6,695,192 B1 2/2004 Kwok
6,808,101 B2 10/2004 Laubach et al.
D501,383 S * 2/2005 Fang D8/68
6,913,180 B2 * 7/2005 Schuster B25C 1/005
227/109

DESCRIPTION

FIG. 1 is a top, rear, and left side perspective view of a pneumatic nailer showing our new design; FIG. 2 is a left side elevation view thereof; FIG. 3 is a right side elevation view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a rear elevation view thereof; and, FIG. 7 is a front elevation view thereof. The broken lines in the drawings illustrate portions of the pneumatic nailer that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2002/0104868 A1* 8/2002 Miller B25C 1/005
227/130
2005/0001007 A1* 1/2005 Butzen B25C 1/005
227/130
2012/0292472 A1 11/2012 Segura et al.

OTHER PUBLICATIONS

Image of Paslode® PowerMaster Plus, printed from <http://ecx.images-amazon.com/images/I/71HV3XR5NTL.gif> on Feb. 15, 2016 available prior to Feb. 10, 2016 (1 page).

Image of Paslode® Power Tool, available prior to Feb. 10, 2016, (1 page).

Image of Senco® Power Tool, available prior to Feb. 10, 2016, (1 page).


Image of Bostitch® Power Tool, available prior to Feb. 10, 2016, (1 page).

Image of Pneutools® Power Tool, available prior to Feb. 10, 2016, (1 page).

Image of Hitachi® Power Tool, available prior to Feb. 10, 2016, (1 page).

* cited by examiner

FIG. 1






FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7