



US00D787452S

(12) **United States Design Patent** (10) **Patent No.:** **US D787,452 S**
Sugimoto et al. (45) **Date of Patent:** **** May 23, 2017**

(54) **SWITCH**

(71) Applicant: **OPTEX CO., LTD.**, Otsu-shi, Shiga (JP)

(72) Inventors: **Tadashi Sugimoto**, Otsu (JP); **Satoshi Matsuda**, Otsu (JP); **Takeo Hyodo**, Tokyo (JP); **Yu Kawashima**, Tokyo (JP)

(73) Assignee: **KAWASAKI JUKOGYO KABUSHIKI KAISHA** (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/556,940**

(22) Filed: **Mar. 4, 2016**

(30) **Foreign Application Priority Data**

Sep. 11, 2015 (JP) 2015-020251

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/169**

(58) **Field of Classification Search**
USPC D13/162, 169, 171, 174
CPC H01H 9/02; H01H 9/0271; H01H 9/16; H01H 9/18; H01H 9/161; H01H 9/181; H01H 9/182; H01H 13/04; H01H 13/14; H01H 13/20; H01H 13/30; H01H 19/635; H01H 23/00; H01H 23/02; H01H 23/025; H01H 23/04; H01H 23/145; H01H 2300/03; H05B 33/0803; H05B 33/0863; H05B 37/02; H05B 37/0254; H05B 37/0272; H05B 39/02; H05B 39/04; H05B 39/085; H05B 39/086; H05B 39/088

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,336,429	A *	6/1982	Jackson	H01H 23/02 200/283
4,540,984	A *	9/1985	Waldman	H05B 37/0227 307/132 E
5,990,436	A *	11/1999	Balaban	H01H 23/02 200/339
7,019,241	B2 *	3/2006	Grassl	H02N 2/18 200/339
D534,875	S *	1/2007	Wu	D13/169
D570,790	S *	6/2008	Egea Soler	D13/162
D587,214	S *	2/2009	Nichols	D13/171
D657,320	S *	4/2012	Hoffman	D13/169
8,592,703	B2 *	11/2013	Johnson	H01H 23/02 200/339
D712,846	S *	9/2014	Creasman	D13/174
D762,592	S *	8/2016	Lu	D13/171
D777,685	S *	1/2017	Tannous	D13/169
2006/0065510	A1 *	3/2006	Kiko	H01H 9/161 200/1 R
2012/0068894	A1 *	3/2012	Feldstein	H01Q 1/007 343/702
2012/0268901	A1 *	10/2012	Jeschko	H01H 23/06 361/747

(Continued)

Primary Examiner — Selina Sikder



(57) **CLAIM**

The ornamental design for a switch, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a switch showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof, the right side view being a mirror image of that shown;
FIG. 4 is a top plan view thereof, the bottom plan view being a mirror image of that shown; and,
FIG. 5 is a front perspective view thereof.
Rear surface appeared in FIG. 2 is flat.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0265640 A1* 9/2014 Ruff H01H 9/0271
307/139
2016/0226248 A1* 8/2016 Mosebrook H04L 12/2816
2016/0336130 A1* 11/2016 Keirstead H01H 23/04

* cited by examiner




Fig. 1

Fig. 2





Fig. 3






Fig. 4




Fig. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D787,452 S
APPLICATION NO. : 29/556940
DATED : May 23, 2017
INVENTOR(S) : Tadushi Sugimoto et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

The Assignee should read as follows:
(73) Assignee: OPTEX CO., LTD. (JP)

Signed and Sealed this
Thirteenth Day of March, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office