



US00D787731S

(12) **United States Design Patent** (10) **Patent No.:** **US D787,731 S**
Blessitt et al. (45) **Date of Patent:** **** May 23, 2017**

(54) **EDGE-LIT BLADE LUMINAIRE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Cooper Technologies Company**,
Houston, TX (US)

CN 2380795 5/2000
CN 1371018 9/2002

(Continued)

(72) Inventors: **James H. Blessitt**, Peachtree City, GA
(US); **Jose Antonio Laso**, Newnan, GA
(US)

OTHER PUBLICATIONS

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

European Search Report for Application No. EP 14769537 mailed
Jul. 7, 2016.

(Continued)

(**) Term: **15 Years**

Primary Examiner — George D Kirschbaum

(21) Appl. No.: **29/531,868**

Assistant Examiner — Natasha Vujcic

(22) Filed: **Jun. 30, 2015**

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

Related U.S. Application Data

(57) **CLAIM**

(62) Division of application No. 29/483,089, filed on Feb.
25, 2014, now Pat. No. Des. 735,391.

The ornamental design for an edge-lit blade luminaire, as
shown and described.

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/76**

DESCRIPTION

(58) **Field of Classification Search**
USPC D26/71, 72, 75, 76, 78, 79, 80, 81, 82,
D26/83, 85, 86, 88, 90, 113, 118, 119,
D26/120, 121, 122, 138
CPC F21S 2/00; F21S 4/00; F21S 4/003; F21S
4/005; F21S 4/006; F21S 4/007; F21S
4/008; F21S 6/00; F21S 8/00; F21S
8/024; F21S 8/026; F21S 8/031; F21S
8/033; F21S 8/035–8/037; F21S 8/04;
F21S 8/043; F21S 8/063

This application also is related to U.S. patent application Ser.
No. 29/481,306, filed Feb. 4, 2014 and titled “Edgelit Blade
Luminaire,” which is a continuation application of U.S.
patent application Ser. No. 29/452,824, filed Apr. 22, 2013,
titled “Edgelit Blade Luminaire”.

FIG. 1 is a top perspective view of an edge-lit blade
luminaire, showing our new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevation view thereof;

FIG. 6 is a right side elevation view thereof;

FIG. 7 is a front side elevation view thereof; and,

FIG. 8 is a rear side elevation view thereof.

The broken lines in the drawings illustrate portions of the
edge-lit blade luminaire which form no part of the claimed
design.

See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

4,622,624 A * 11/1986 McCarthy F21S 8/00
362/217.02

D374,301 S 10/1996 Kieffman

(Continued)

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D386,804 S 11/1997 Engel
 5,988,836 A 11/1999 Swarens
 D477,891 S 7/2003 Fritze et al.
 D496,121 S 9/2004 Santoro
 D593,246 S 5/2009 Fowler
 D595,006 S 6/2009 Santoro
 D604,000 S 11/2009 Fowler
 D608,490 S * 1/2010 Chung D26/118
 D608,932 S 1/2010 Castelli
 D633,247 S 2/2011 Kong et al.
 D653,376 S 1/2012 Kong et al.
 8,128,256 B2 3/2012 Kim et al.
 D664,699 S 7/2012 Nakahira et al.
 8,232,724 B2 7/2012 Mostoller et al.
 D665,119 S 8/2012 Bryant
 D667,983 S 9/2012 Pickard et al.
 D672,079 S 12/2012 Kong et al.
 D673,711 S 1/2013 Pickard et al.
 D675,364 S 1/2013 Watt
 D677,820 S 3/2013 Mayfield et al.
 D678,597 S 3/2013 Lehman et al.
 D681,872 S 5/2013 Kong et al.
 D685,942 S 7/2013 Duquette et al.
 D692,610 S * 10/2013 Sitarski D26/118
 8,561,961 B1 * 10/2013 Blessitt F21V 21/00
 248/217.4
 D696,449 S 12/2013 Boyer et al.
 D698,969 S 2/2014 Johns et al.
 D698,973 S 2/2014 Santoro et al.
 D698,975 S 2/2014 Blessitt et al.
 D699,386 S 2/2014 Park et al.
 D701,988 S 4/2014 Clements
 D705,474 S 5/2014 Philips
 D705,974 S 5/2014 Blessitt et al.
 D707,873 S 6/2014 Boyer et al.
 D714,988 S 10/2014 Park et al.

D728,153 S * 4/2015 Blessitt D26/118
 D735,391 S 7/2015 Blessitt
 D739,977 S 9/2015 Boyer
 9,127,826 B2 9/2015 Boyer
 D762,908 S * 8/2016 Blessitt D26/76
 D774,234 S * 12/2016 Plourde D26/76
 9,521,727 B1 * 12/2016 Clements H05B 37/0227
 2008/0055534 A1 3/2008 Kawano
 2009/0103327 A1 4/2009 Iwasaki et al.
 2010/0271841 A1 10/2010 Kim
 2011/0176306 A1 7/2011 Kim et al.
 2012/0169967 A1 7/2012 Han et al.
 2012/0182713 A1 7/2012 Bretschneider
 2012/0281432 A1 11/2012 Parker
 2013/0039050 A1 2/2013 Dau et al.
 2013/0051067 A1 2/2013 Chen
 2013/0194820 A1 8/2013 Pickard et al.
 2013/0208457 A1 8/2013 Durkee et al.
 2013/0294053 A1 11/2013 Marquardt et al.
 2013/0307420 A1 11/2013 Yoder et al.
 2014/0036533 A1 2/2014 Smith-Gillespie
 2014/0268869 A1 9/2014 Blessitt et al.

FOREIGN PATENT DOCUMENTS

CN 101471011 A 7/2009
 CN 101839430 9/2010
 DE 20104726 7/2002
 WO WO 2012030387 3/2012
 WO WO 2012154342 11/2012

OTHER PUBLICATIONS

Cooper Lighting, Skyridge 1x4, 1x2 PAR Graphic Documentation;
 Nov. 14, 2013.
 International Search Report for PCT/US2014/026500, mailed Aug.
 7, 2014.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8

