



US00D787937S

(12) **United States Design Patent** (10) **Patent No.:** **US D787,937 S**
Messenger et al. (45) **Date of Patent:** **** May 30, 2017**

(54) **PROTECTIVE CAP**

(56) **References Cited**

(71) Applicant: **Powers and Sons, LLC**, Montpelier, OH (US)

(72) Inventors: **Gene Messenger**, Novi, MI (US); **Matthew Dudeck**, Ann Arbor, MI (US); **William Heckman**, Canton, MI (US); **Christopher Fink**, Archbold, OH (US); **Randy Priest**, Montpelier, OH (US); **Douglas Link**, Bryan, OH (US); **Charles Letts, III**, Ann Arbor, MI (US)

(73) Assignee: **Powers and Sons, LLC**, Montpelier, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,761**

(22) Filed: **Mar. 31, 2016**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/453**; D23/249; D23/260

(58) **Field of Classification Search**
USPC D9/428, 429, 434, 435, 442, 443, D9/445-450, 453-456, 499, 682, 684, D9/685; D7/387, 388, 392, 392.1, 393, D7/396.2, 396.3, 396.4, 401.1, 408, 504, D7/507, 509-511, 538, 900; D3/202, D3/203.2, 318; D28/91.1; D23/249, 260; D8/397
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 2585/545; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00

U.S. PATENT DOCUMENTS

D138,952	S	*	9/1944	Sapery		D9/453
D157,480	S	*	2/1950	Foss		D7/388
2,896,307	A	*	7/1959	Whiteley		H01J 19/00 313/348
D202,678	S	*	10/1965	Jennings		D7/409
D252,008	S	*	6/1979	Jeambey		426/243
D300,350	S	*	3/1989	Mathison		D23/260
5,036,880	A	*	8/1991	Safford		F04B 39/1053 137/516.21
D336,679	S	*	6/1993	Safford		D23/249
D337,372	S	*	7/1993	Safford		D23/249
D536,067	S	*	1/2007	Grether		D23/249
D558,517	S	*	1/2008	Larkin		D7/401.1
D755,352	S	*	5/2016	Mitsuoka		D23/249
2017/0066567	A1	*	3/2017	Chen		B65D 47/2031

* cited by examiner

Primary Examiner — Karen S Acker

Assistant Examiner — Wendy Arminio

(74) *Attorney, Agent, or Firm* — Shumaker, Loop & Kendrick, LLP

(57) **CLAIM**


The ornamental design for a protective cap, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a protective cap;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a front view thereof, the back view being a mirror image of the front view;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a right side view thereof with bottom side up, the left side view being a mirror image of the right side view.

1 Claim, 4 Drawing Sheets

See application file for complete search history.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6