



US00D787964S

(12) **United States Design Patent**  
**Scott et al.**

(10) **Patent No.:** **US D787,964 S**

(45) **Date of Patent:** **\*\* May 30, 2017**

(54) **BRUSH FOR A MULTI-PARAMETER SONDE**

(71) Applicant: **In-Situ, Inc.**, Fort Collins, CO (US)

(72) Inventors: **Elijah Lyle Scott**, Loveland, CO (US);  
**Steven Collin Sewell**, Fort Collins, CO (US)

(73) Assignee: **In-Situ, Inc.**, Fort Collins, CO (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/558,419**

(22) Filed: **Mar. 17, 2016**

**Related U.S. Application Data**

(63) Continuation of application No. 29/513,888, filed on Jan. 6, 2015, now Pat. No. Des. 755,655.

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/81; D10/94**

(58) **Field of Classification Search**

USPC ..... D10/78, 80, 81, 94, 103  
CPC ..... G01N 33/22; G01N 33/221; G01N 33/18;  
G01N 33/1806; G01N 33/1813; G01N  
33/1893; G01N 33/182; G01N 33/1826;  
G01N 33/1833; G01N 2033/184; G01N  
33/1846; G01N 33/1853; G01N 33/186;  
G01N 33/1866; G01N 2033/1873; G01N  
33/01

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,099,920 A 3/1992 Warburton et al.  
5,259,452 A 11/1993 Wittrisch  
D371,517 S 7/1996 Narayanan  
5,596,193 A 1/1997 Chutjian et al.  
5,820,416 A 10/1998 Carmichael  
D418,073 S 12/1999 Kreutzer et al.

6,157,029 A 12/2000 Chutjian et al.  
6,305,944 B1 10/2001 Henry et al.  
6,677,861 B1 1/2004 Henry et al.

(Continued)

**FOREIGN PATENT DOCUMENTS**

EP 1851537 9/2013  
WO WO 2006/088829 8/2006

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/558,413, filed Mar. 17, 2016, Scott et al.  
(Continued)

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Lathrop & Gage LLP

(57) **CLAIM**


The ornamental design for a brush for a multi-parameter sonde, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, inner side view of a brush for a multi-parameter sonde;  
FIG. 2 is a top, front and outer side view thereof;  
FIG. 3 is a bottom, front and outer side view thereof;  
FIG. 4 is a bottom, front and inner side view thereof;  
FIG. 5 is a top, rear and outer side view thereof;  
FIG. 6 is a top, rear and inner side view thereof;  
FIG. 7 is a bottom, rear and outer side view thereof;  
FIG. 8 is a bottom, rear and inner side view thereof; and,  
FIG. 9 is a perspective view of the brush of FIGS. 1-8 connected to a shaft extending from a multi-parameter sonde to illustrate the brush in its intended environment; it being understood that the shaft and multi-parameter sonde forms no part of the claimed design. Only the distal end of the multi-parameter sonde is shown.

The broken line showing of structural features is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

6,779,383	B2	8/2004	Lizotte et al.	
6,798,347	B2	9/2004	Henry et al.	
6,928,864	B1	8/2005	Henry et al.	
6,938,506	B2	9/2005	Henry et al.	
6,943,686	B2	9/2005	Allen	
7,007,541	B2	3/2006	Henry et al.	
7,138,926	B2	11/2006	Henry et al.	
7,142,299	B2	11/2006	Tokhtuev et al.	
7,470,917	B1	12/2008	Hoang et al.	
D616,314	S	5/2010	Akomolede	
7,832,295	B2	11/2010	Rodriguez et al.	
7,900,528	B2	3/2011	Vincent	
8,429,952	B1	4/2013	Bringhurst et al.	
8,488,122	B2	7/2013	Dong et al.	
8,514,066	B2	8/2013	Harmon	
8,542,189	B2	9/2013	Milne et al.	
8,555,482	B2	10/2013	Metzger	
8,797,523	B2	8/2014	Clark	
8,877,027	B2 *	11/2014	Ishii .....	G01N 27/30 204/416
9,194,854	B2 *	11/2015	Andersen .....	G01N 33/186
9,267,881	B2 *	2/2016	Furtaw .....	G01N 21/3504
D755,655	S *	5/2016	Scott .....	D10/81
2003/0117623	A1	6/2003	Tokhtuev et al.	
2003/0148637	A1	8/2003	Henry et al.	
2007/0140921	A1	6/2007	Mitchell	
2009/0158819	A1	6/2009	Vincent	
2010/0321046	A1	12/2010	Randall et al.	
2011/0023586	A1	2/2011	Leyer et al.	
2011/0273710	A1	11/2011	Dong et al.	
2012/0242993	A1	9/2012	Schick et al.	
2012/0262618	A1	10/2012	Weakly	
2013/0090789	A1	4/2013	DeDonato	
2014/0017143	A1	1/2014	Clark	
2016/0139046	A1	5/2016	Baltz et al.	
2016/0139070	A1	5/2016	Scott et al.	
2016/0139101	A1	5/2016	Scott et al.	
2016/0146777	A1	5/2016	McKee	

OTHER PUBLICATIONS

U.S. Appl. No. 29/558,414, filed Mar. 17, 2016, Scott et al.  
 U.S. Appl. No. 29/558,417, filed Mar. 17, 2016, Scott et al.  
 U.S. Appl. No. 15/148,832, filed May 6, 2016, Steinbach et al.  
 Sonde Wikipedia, accessed Nov. 4, 2015.

Teledyne Isco AQ700 Water Quality Multi-Parameter Sonde, 2 pages, Sep. 2013.  
 YSI EXO1 Multiparameter Sonde, <http://www.ysi.com/productsdetail.php?EXO1-Water-Quality-Sonde-89>, webpage publicly available at least as early as Oct. 2014.  
 YSI EXO2 Multiparameter Sonde, <https://www.ysi.com/EXO2>, webpage publicly available at least as early as Oct. 2014.  
 Hydrolab HL4 <http://hydrolab.com/hydrolab-h14-multiparameter-sonde/>, webpage publicly available at least as early as May 6, 2014.  
 Ott Hydrolab DS5 <http://www.ott.com/products/water-quality/hydrolab-ds5-multiparameter-data-sonde/>, webpage publicly available at least as early as Oct. 2014.  
 In Situ TROLL 9500 Multiparameter Sonde, <https://in-situ.com/products/water-quality-testing-equipment/troll-9500-multiparameter-sonde/>, webpage publicly available at least as early as Apr. 1, 2015.  
 In Situ Aqua TROLL 600 Multiparameter Sonde, <https://in-situ.com/products/water-quality-testing-equipment/aqua-troll-600-multiparameter-sonde/>, webpage publicly available at least as early as Sep. 14, 2015.  
 In Situ AquaTROLL 600 Product Information, <https://in-situ.com/blog/introducing-the-aqua-troll-600-water-quality-platform-2/>, webpage publicly available at least as early as Sep. 21, 2015.  
 In Situ AquaTROLL 600 Specification Sheet, [https://in-situ.com/wp-content/uploads/2015/09/Aqua\\_TROLL\\_600\\_Spec.pdf](https://in-situ.com/wp-content/uploads/2015/09/Aqua_TROLL_600_Spec.pdf), webpage publicly available at least as early as Apr. 30, 2016.  
 In Situ Water Quality Testing Equipment Products, <https://in-situ.com/product-category/water-quality-testing-equipment/>, webpage publicly available at least as early as Apr. 1, 2015.  
 Examiner's Report for corresponding CA Application No. 163113, dated Nov. 16, 2015, 3 pages.  
 6-Series Multiparameter Water Quality Sondes, YSI Environmental, dated Aug. 24, 2006, 14 pages.  
 International Search Report with Written Opinion corresponding to International Patent Application No. PCT/US2015/059925, mailed Jan. 20, 2016, 8 pages.  
 International Search Report with Written Opinion corresponding to International Patent Application No. PCT/US2015/059920, mailed Jan. 29, 2016, 7 pages.  
 International Search Report and Written Opinion corresponding to International Patent Application No. PCT/US2015/059918, mailed Feb. 1, 2016, 8 pages.  
 International Search Report with Written Opinion corresponding to International Patent Application No. PCT/US2015/059939, mailed Jan. 13, 2016, 9 pages.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9