



US00D788061S

(12) **United States Design Patent** (10) **Patent No.:** **US D788,061 S**
Siminoff (45) **Date of Patent:** **** May 30, 2017**

(54) **WIRELESS ENTRANCE COMMUNICATION DEVICE**

(71) Applicant: **BOT HOME AUTOMATION, INC.**,
Santa Monica, CA (US)

(72) Inventor: **James Siminoff**, Pacific Palisades, CA
(US)

(73) Assignee: **BOT Home Automation, Inc.**, Santa
Monica, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,589**

(22) Filed: **Mar. 18, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/499,828,
filed on Sep. 29, 2014, now Pat. No. 9,584,775, which
is a continuation-in-part of application No.
14/334,922, filed on Jul. 18, 2014.

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/159; D10/118.2**

(58) **Field of Classification Search**
USPC D10/118.2, 121, 118.1; D14/159;
D16/203
CPC . G08B 15/001; H04M 11/025; H04M 1/0291;
H04N 7/185
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D197,278 S * 1/1964 Stevenson D13/171
D392,576 S * 3/1998 Pun D10/118
D500,751 S * 1/2005 Yukikado D14/159

D605,542 S * 12/2009 Ho D10/118
D636,286 S * 4/2011 Khor D10/118
D710,727 S * 8/2014 Siminoff D10/118.1
D710,728 S * 8/2014 Siminoff D10/118.1
D764,958 S * 8/2016 Scalisi D10/118.2
D765,530 S * 9/2016 Scalisi D10/118.2
D778,195 S * 2/2017 Li D10/118.2
9,584,775 B2 * 2/2017 Siminoff H04M 11/025
2004/0124978 A1 * 7/2004 Chen G08B 15/001
340/539.14

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — White and Williams LLP

(57) **CLAIM**

The ornamental design for a wireless entrance communica-
tion device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a preferred embodiment
of the wireless entrance communication device according to
the present design;

FIG. 2 is a front elevational view of the wireless entrance
communication device of FIG. 1;

FIG. 3 is a rear elevational view of the wireless entrance
communication device of FIG. 1;


FIG. 4 is a left-side elevational view of the wireless entrance
communication device of FIG. 1, the right-side elevational
view being a mirror image thereof;

FIG. 5 is a top plan view of the wireless entrance commu-
nication device of FIG. 1; and,

FIG. 6 is a bottom plan view of the wireless entrance
communication device of FIG. 1.

The broken line showing of features and mounting elements
is included for the purpose of illustrating portions of the
“article” and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6