



US00D788235S

(12) **United States Design Patent** (10) **Patent No.:** **US D788,235 S**
Lantz (45) **Date of Patent:** **** May 30, 2017**

(54) **BASEBALL STRIKE ZONE TRAINING DEVICE**

(71) Applicant: **Kenneth A. Lantz**, Barton, NY (US)

(72) Inventor: **Kenneth A. Lantz**, Barton, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,975**

(22) Filed: **Jan. 19, 2016**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/699; D21/780**

(58) **Field of Classification Search**

USPC D21/301, 302, 303, 304, 305, 698, 699,
D21/704, 705, 706, 780, 788, 781, 790;
273/398-410

CPC A63B 63/00; A63B 63/004; A63B 63/007;
A63B 63/008; A63B 2063/001; A63B
2063/002; A63B 2063/005; A63B
2063/006; A63B 69/00; A63B 69/0002;
A63B 69/002; A63B 69/0024; A63B
69/0026; A63B 69/0097; A63B
2069/0004; A63B 2069/0006; A63B
2069/0008; A63B 2069/0011; A63B
71/022

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,566,945 A * 12/1925 Winkley A63B 63/00
473/173
2,126,102 A * 8/1938 Fowier A63B 63/00
473/456
3,312,467 A 4/1967 Dawson
4,188,031 A 2/1980 Fox
4,254,952 A * 3/1981 Playter, Jr. A63B 63/00
273/401
4,473,227 A 9/1984 Klaus

4,932,657 A * 6/1990 Hailer A63B 63/00
273/410
5,249,796 A * 10/1993 Silvi A63B 63/004
273/127 R
5,271,616 A * 12/1993 Grimaldi A63B 63/00
273/394
5,333,856 A * 8/1994 Gery A63B 63/00
473/454
D350,569 S * 9/1994 Boteler D21/698
5,348,291 A 9/1994 Scully
5,370,385 A * 12/1994 Joy A63B 71/022
473/421
5,803,841 A 9/1998 Daskoski
6,579,195 B2 6/2003 Lamb
D509,872 S * 9/2005 Alberti D21/699
D598,059 S * 8/2009 Kinkead D21/699
8,540,593 B1 * 9/2013 Marnane A63B 63/004
473/454
2002/0049103 A1 * 4/2002 Treihart A63B 63/00
473/454
2004/0023735 A1 * 2/2004 Janton A63B 69/0097
473/434

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design, LP.



(57) **CLAIM**

The ornamental design for a baseball strike zone training device, as shown and described.

DESCRIPTION

FIG. 1 is a left side perspective view of a baseball strike zone training device, showing my new design;
FIG. 2 is a back elevation view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a left elevation view thereof;
FIG. 5 is a right elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



References Cited

2005/0137035	A1 *	6/2005	Huang	A63B 69/0002
				473/454
2008/0312011	A1	12/2008	Edmondson	
2010/0062880	A1 *	3/2010	Hayes	A63B 63/003
				473/422
2014/0179465	A1 *	6/2014	Thomas	A63B 69/0002
				473/436
2016/0243419	A1 *	8/2016	Villarreal	A63B 69/0002

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7