



US00D788357S

(12) **United States Design Patent** (10) **Patent No.:** **US D788,357 S**
Dodge et al. (45) **Date of Patent:** **** May 30, 2017**

(54) **TRIM FOR A RECESSED LUMINAIRE**

(71) Applicants: **Spencer Dodge**, Stone Mountain, GA (US); **Mihai Hoge**, Atlanta, GA (US); **Justin Arsenault**, Atlanta, GA (US); **Gregg Arthur Lehman**, Peachtree City, GA (US)

(72) Inventors: **Spencer Dodge**, Stone Mountain, GA (US); **Mihai Hoge**, Atlanta, GA (US); **Justin Arsenault**, Atlanta, GA (US); **Gregg Arthur Lehman**, Peachtree City, GA (US)

(73) Assignee: **Cooper Technologies Company**, Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/517,940**

(22) Filed: **Feb. 18, 2015**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/138**

(58) **Field of Classification Search**
USPC D26/24-27, 37, 67, 72, 74-76, 80, 85, D26/89, 104, 108, 118, 120, 121, 122,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D300,372 S * 3/1989 O'Dohanue D26/67
D370,550 S * 6/1996 Lecluze D26/118
(Continued)

OTHER PUBLICATIONS

GE Lighting; Lumination LED Luminaires, RS4-four-inch LED Downlights; Specification Sheet, Rev Apr. 10, 2015.
(Continued)

Primary Examiner — John Windmuller

Assistant Examiner — Benjamin Weeks

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for a trim for a recessed luminaire, as shown and described.

DESCRIPTION


FIG. 1 is a top perspective view of a first embodiment of a trim for a recessed luminaire, showing our new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a cross-sectional view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevation view thereof, the rear elevation view being a mirror image of the front elevation view; and FIG. 7 is a left-side elevation view thereof, the right-side elevation view being a mirror image of the left-side elevation view.

FIG. 8 is a top perspective view of a second embodiment of a trim for a recessed luminaire, showing our new design; FIG. 9 is a bottom perspective view thereof; FIG. 10 is a cross-sectional view thereof; FIG. 11 is a top plan view thereof; FIG. 12 is a bottom plan view thereof; FIG. 13 is a front elevation view thereof, the rear elevation view being a mirror image of the front elevation view; and, FIG. 14 is a left-side elevation view thereof, the right-side elevation view being a mirror image of the left-side elevation view.

The dashed lines shown represent portions of the article and form no part of the claimed design.

FIGS. 1, 2, 8, and 9 show the trim for a recessed luminaire on an enlarged scale as compared to the remaining figures.

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**

USPC D26/124, 128, 131, 132, 138, 142, 152,
D26/154, 155; D13/156, 179
CPC F21Y 2101/00; F21V 19/02; F21V 19/007;
F21V 29/83; F21V 25/125; F21V 25/12;
F21V 23/06; F21V 1/04; F21S 8/024;
F21S 8/02; F21S 8/026; F21S 11/00;
F04F 19/02; F04B 1/948; F04B 1/941;
H04R 1/026
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D376,667 S * 12/1996 Lucluze D26/119
D381,454 S * 7/1997 Lecluze D26/118
5,673,997 A * 10/1997 Akiyama F21V 21/04
362/147
D397,490 S * 8/1998 Lecluze D26/118
D407,524 S * 3/1999 Lecluze D26/118
D445,526 S * 7/2001 Wang D26/76
6,425,680 B1 * 7/2002 Rippel F21S 8/02
362/297

D461,579 S * 8/2002 Chang D26/67
D464,456 S * 10/2002 Chang D26/67
D471,312 S * 3/2003 Homann D26/118
D546,999 S * 7/2007 Rashidi D26/118
D555,825 S * 11/2007 Lecluze D26/138
D581,089 S * 11/2008 St-Hilaire D26/118
D595,005 S * 6/2009 Chou D26/74
D601,744 S * 10/2009 Sakuma D26/89
D624,691 S * 9/2010 Zhang D26/138
D636,922 S * 4/2011 Yoshida D26/74
D678,583 S * 3/2013 Jeswani D26/74
D693,517 S * 11/2013 Davis D26/138
D699,387 S * 2/2014 Snell D26/124
D724,260 S * 3/2015 Klus D26/141
D762,906 S * 8/2016 Jeswani D26/74
2009/0086474 A1 * 4/2009 Chou F21S 8/026
362/230
2010/0110699 A1 * 5/2010 Chou F21S 8/026
362/365

OTHER PUBLICATIONS

GE Lighting; Lumination LED Luminaires, RS6-six-inch LED
Downlights; Specification Sheet, Rev Apr. 10, 2015.

* cited by examiner




FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7




FIG. 8




FIG. 9





FIG. 12





FIG. 13






FIG. 14