



US00D788566S

(12) **United States Design Patent** (10) **Patent No.:** **US D788,566 S**  
**Wang** (45) **Date of Patent:** **\*\* Jun. 6, 2017**

(54) **HANDLE**

77/06; E05B 79/06; E05B 85/18; E05B 85/12; E05B 85/10; E05B 7/00; E05B 1/0053; E05B 77/265

(71) Applicant: **TAIWAN FU HSING INDUSTRIAL CO., LTD.**, Kaohsiung (TW)

See application file for complete search history.

(72) Inventor: **Chi-Fu Wang**, Kaohsiung (TW)

(56) **References Cited**

(73) Assignee: **TAIWAN FU HSING INDUSTRIAL CO., LTD.**, Kaohsiung (TW)

U.S. PATENT DOCUMENTS

(\*\*) Term: **15 Years**

D141,186 S \* 5/1945 Stanitz ..... D23/252  
D299,109 S \* 12/1988 Jans ..... D23/252  
D348,822 S \* 7/1994 Donofrio ..... D8/308  
5,390,517 A \* 2/1995 Yamada ..... E05B 13/002  
70/210

(21) Appl. No.: **29/551,820**

(Continued)

(22) Filed: **Jan. 17, 2016**

FOREIGN PATENT DOCUMENTS

(30) **Foreign Application Priority Data**

CN 303393203 S 9/2015  
TW D125720 11/2008

Dec. 22, 2015 (TW) ..... 104307136

(Continued)

(51) **LOC (10) Cl.** ..... **08-06**

(52) **U.S. Cl.**  
USPC ..... **D8/308**

(58) **Field of Classification Search**

USPC ..... D8/300-302, 307-309, 310, 311,  
D8/DIG. 10; D23/250, 252; 292/336.3;  
74/523, 543; 70/192, 201, 206, 207;  
16/110.1, 412, 416, DIG. 30  
CPC ..... Y10T 16/44; Y10T 74/20612; Y10T  
74/20732; Y10T 16/458; Y10T 16/498;  
Y10T 16/469; Y10T 16/476; Y10T  
74/20744; Y10T 74/20864; Y10T  
16/4628; Y10T 74/20642; Y10T 16/473;  
Y10T 74/20762; Y10T 74/2042; Y10T  
74/20828; Y10T 16/459; Y10T 16/4713;  
Y10T 74/2014; Y10T 16/50; Y10T  
74/20438; Y10T 74/20582; Y10T  
74/20738; Y10T 16/48; Y10T 74/20618;  
Y10T 74/20684; Y10T 74/20624; Y10T  
74/20468; Y10T 16/61; Y10T 16/4719;  
Y10T 16/86; Y10S 16/30; Y10S 292/31;  
Y10S 292/53; Y10S 16/12; Y10S 292/23;  
Y10S 292/27; Y10S 292/30; Y10S  
292/63; E05B 85/16; E05B 1/0015; E05B

*Primary Examiner* — Derrick Holland

*Assistant Examiner* — Lauren Calve

(74) *Attorney, Agent, or Firm* — CKC & Partners Co., Ltd.

(57) **CLAIM**

The ornamental design for a handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a handle showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines represent the unclaimed opening and inside portion of the base of the handle and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D357,730	S *	4/1995	Saperstein .....	D23/252
D457,050	S *	5/2002	Caspersz .....	D8/308
D466,990	S *	12/2002	Wang .....	D23/252
D509,126	S *	9/2005	Vilallonga Kirovac .....	D8/308
D521,846	S *	5/2006	Toikka .....	D8/308
D522,839	S *	6/2006	Hu .....	D8/308
D568,138	S *	5/2008	Singtoroj .....	D8/308
D568,447	S *	5/2008	Lai .....	D23/250
D619,872	S *	7/2010	Singtoroj .....	D8/308
D621,681	S *	8/2010	Roberts, III .....	D8/308
D621,682	S *	8/2010	Roberts, III .....	D8/308
D627,441	S *	11/2010	Sedwick .....	D23/252
D698,220	S *	1/2014	Watson .....	D8/308
D734,120	S *	7/2015	Hsu .....	D8/308
D737,652	S *	9/2015	Harden .....	D8/302
D738,468	S *	9/2015	Bahler .....	D23/242
D745,359	S *	12/2015	Sun .....	D8/308
D745,360	S *	12/2015	Sun .....	D8/308
D755,604	S *	5/2016	Harden .....	D8/302
2016/0145895	A1 *	5/2016	Kankkunen .....	E05B 17/10 70/432

FOREIGN PATENT DOCUMENTS

TW	D125722	11/2008
TW	D159976 S	4/2014

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7