



US00D788603S

(12) **United States Design Patent** (10) **Patent No.:** **US D788,603 S**
Liu (45) **Date of Patent:** **** Jun. 6, 2017**

(54) **SMART DOOR SENSOR**

(56) **References Cited**

(71) Applicants: **NANNING FUGUI PRECISION INDUSTRIAL CO., LTD.**, Nanning (CN); **HON HAI PRECISION INDUSTRY CO., LTD.**, New Taipei (TW)

U.S. PATENT DOCUMENTS

D557,624	S	*	12/2007	Coster	D10/70
8,314,715	B2	*	11/2012	Werpooler	G08B 21/24 340/309.7
D693,248	S	*	11/2013	Anderssen	D10/65
8,669,484	B1	*	3/2014	Benson	H01H 3/26 200/38 R
D722,983	S	*	2/2015	Paredes	D13/168
D725,049	S	*	3/2015	Paredes	D13/168
D728,489	S	*	5/2015	Eriksen	D13/168
D736,716	S	*	8/2015	Hough	D13/162
9,183,719	B2	*	11/2015	Gouge	A61B 5/01
D746,711	S	*	1/2016	Li	D10/106.1
9,277,630	B2	*	3/2016	Braunstein	H05B 37/0227
D755,732	S	*	5/2016	Moeller	D13/162
D764,957	S	*	8/2016	Bhattacharya	D10/104.1

(72) Inventor: **Yao Liu**, Shenzhen (CN)

(73) Assignees: **NANNING FUGUI PRECISION INDUSTRIAL CO., LTD.**, Nanning (CN); **HON HAI PRECISION INDUSTRY CO., LTD.**, New Taipei (TW)

(**) Term: **15 Years**

* cited by examiner

(21) Appl. No.: **29/553,454**

Primary Examiner — Antoine D Davis

(22) Filed: **Feb. 2, 2016**

(74) *Attorney, Agent, or Firm* — Steven Reiss

Related U.S. Application Data

(63) Continuation of application No. 29/553,333, filed on Jan. 31, 2016.

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/49**; D10/70; D10/102; D10/104.1; D10/106.1; D10/106.6; D10/106.95; D13/158; D13/184; D14/358; D14/168; D14/188

(58) **Field of Classification Search**

USPC D10/49, 70, 102, 104.1, 106.1, 106.6, D10/106.95; D13/158, 162, 168, 177, D13/184; D14/358, 168, 188
CPC B60R 25/1004; B60R 21/01516; B60R 21/01512; B60R 2325/304; G08B 21/0202; G08B 25/016; G08B 21/22; G08B 21/24; G08B 21/02; H05B 37/0227; H05B 37/029; H05B 37/0272; H05B 37/0281; H02J 13/0086; G01D 4/00; Y02B 90/245

See application file for complete search history.


(57) **CLAIM**

The ornamental design for a smart door sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a smart door sensor; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof. The broken lines in the drawings are used to illustrate environmental structures, and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7