



US00D788840S

(12) **United States Design Patent**
Corcorran et al.

(10) **Patent No.:** **US D788,840 S**
(45) **Date of Patent:** **** Jun. 6, 2017**

- (54) **INSTRUMENT STRAP END PIECE**
- (71) Applicants: **Holly Corcorran**, Portland, OR (US);
Patrick Corcorran, Portland, OR (US)
- (72) Inventors: **Holly Corcorran**, Portland, OR (US);
Patrick Corcorran, Portland, OR (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/535,123**
- (22) Filed: **Aug. 4, 2015**

| | | | | | |
|-----------|-----|---------|------------|-------|------------|
| 5,806,733 | A * | 9/1998 | Smith | | A45C 13/30 |
| | | | | | 224/264 |
| D462,710 | S * | 9/2002 | Babcock | | D17/20 |
| D476,357 | S * | 6/2003 | Gresco | | D17/20 |
| D479,554 | S * | 9/2003 | Boron | | D17/20 |
| D489,182 | S * | 5/2004 | Tilby | | D3/327 |
| D508,516 | S * | 8/2005 | Boone | | D17/20 |
| D513,034 | S * | 12/2005 | Boron | | D17/20 |
| D553,328 | S * | 10/2007 | King | | D2/624 |
| D574,415 | S * | 8/2008 | Koskela | | D17/20 |
| D636,603 | S * | 4/2011 | Cartwright | | D3/327 |
| D663,955 | S * | 7/2012 | Swaggart | | D3/327 |

(Continued)

Primary Examiner — Susan E Krakower
Assistant Examiner — Lisa A Grabenstetter
 (74) *Attorney, Agent, or Firm* — Michelle E. Carey;
 Telekta Law, P.S.

Related U.S. Application Data

- (63) Continuation-in-part of application No. 14/811,774, filed on Jul. 28, 2015, now Pat. No. 9,530,393, and a continuation-in-part of application No. 14/811,782, filed on Jul. 28, 2015, now Pat. No. 9,530,394, and a continuation-in-part of application No. 29/535,121, filed on Aug. 4, 2015.
- (51) **LOC (10) Cl.** **17-99**
- (52) **U.S. Cl.**
USPC **D17/20; D3/327**
- (58) **Field of Classification Search**
USPC D2/624–627, 639, 640; D3/327; D17/3, D17/4, 14, 15, 17–21, 24, 99; D29/100, D29/101.1–101.5
CPC G10G 5/00; G10G 5/005
See application file for complete search history.

(57) **CLAIM**

The ornamental design for an instrument strap end piece, as shown and described.

DESCRIPTION


FIG. 1 is an isometric view of the instrument strap end piece, showing our new design;
 FIG. 2 is a bottom plan view of the instrument strap end piece;
 FIG. 3 is a top plan view thereof, shown in an enlarged scale for clarity;
 FIG. 4 is an open plan view thereof, shown in an enlarged scale for clarity;
 FIG. 5 is a right side plan view thereof, shown in an unfolded condition with the loop removed for clarity;
 FIG. 6 is a left side plan view thereof;
 FIG. 7 is a front plan view thereof; and,
 FIG. 8 is a rear plan view thereof.
 The broken lines found on the instrument strap end pieces represent unclaimed stitching and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|-------------|-------|------------|
| 1,903,081 | A * | 3/1933 | Wotherspoon | | A41F 9/002 |
| | | | | | 182/9 |
| D249,386 | S * | 9/1978 | Zacuto | | 224/258 |
| D303,318 | S * | 9/1989 | Clary | | D29/101.5 |
| D314,394 | S * | 2/1991 | Cardwell | | D16/243 |
| D335,136 | S * | 4/1993 | McMichael | | D17/20 |
| D375,823 | S * | 11/1996 | Bleiweis | | D2/627 |
| D393,362 | S * | 4/1998 | Byers | | D17/20 |



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|--------|--------------|-----------------------|
| 8,269,085 | B1 * | 9/2012 | Darbon | G10G 5/005 224/265 |
| D673,346 | S * | 1/2013 | Kosh | D2/639 |
| D673,998 | S * | 1/2013 | Wells | D17/20 |
| D678,392 | S * | 3/2013 | Emery | D17/19 |
| D688,851 | S * | 9/2013 | Parker | D2/627 |
| D705,523 | S * | 5/2014 | Henry | D2/853 |
| D705,849 | S * | 5/2014 | Bush | D17/20 |

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8