



US00D788930S

(12) **United States Design Patent**  
**Hornby et al.**

(10) **Patent No.:** **US D788,930 S**

(45) **Date of Patent:** **\*\* Jun. 6, 2017**

- (54) **GAIT TRACK**
- (71) Applicant: **REHABILITATION INSTITUTE OF CHICAGO**, Chicago, IL (US)
- (72) Inventors: **Thomas George Hornby**, Chicago, IL (US); **John Gresko**, Chicago, IL (US)
- (73) Assignee: **Rehabilitation Institute of Chicago**, Chicago, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/543,189**
- (22) Filed: **Oct. 21, 2015**
- (51) **LOC (10) Cl.** ..... **24-04**
- (52) **U.S. Cl.**  
USPC ..... **D24/188**
- (58) **Field of Classification Search**  
USPC ..... D24/183, 184, 188; D21/662, 679, D21/686-688, 565  
CPC ..... A63B 22/203; A63B 2208/0204; A63B 21/4045; A63B 23/0488; A63B 21/0552; A63B 69/0022; A63B 2022/003; A63B 21/225; A63B 21/00069; A63B 2210/50; A63B 21/4035; A63B 23/03541; A63B 2022/0038; A63B 21/0428; A63B 2022/206  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,441,001 A \* 4/1969 Fisher ..... A01K 15/025  
119/709
- D367,118 S \* 2/1996 Miller ..... D24/188
- 6,098,550 A \* 8/2000 Tsuboi ..... B61B 13/02  
105/127

- D530,933 S \* 10/2006 Vitaro ..... D6/361
- 7,249,741 B1 \* 7/2007 Larson ..... A47B 13/02  
108/150
- D569,655 S \* 5/2008 Williams ..... D6/682.2
- D622,522 S \* 8/2010 Lewis ..... D6/690
- D646,309 S \* 10/2011 Kilgren ..... D15/126
- D681,215 S \* 4/2013 Kessler ..... D24/188
- D731,829 S \* 6/2015 Lewis ..... D6/708
- 9,443,203 B2 \* 9/2016 Young ..... A61F 2/60
- 2004/0005798 A1 \* 1/2004 Lin ..... H01R 25/14  
439/110
- 2013/0192487 A1 \* 8/2013 Fanshawe ..... B61B 13/02  
104/118
- 2015/0114250 A1 \* 4/2015 Watermiller ..... B61B 7/00  
104/91
- 2015/0217702 A1 \* 8/2015 Jacobsthal ..... A01D 41/12  
296/190.01

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Drinker Biddle & Reath LLP


(57) **CLAIM**

The ornamental design for a gait track, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a new design of gait track; FIG. 2 is a bottom view thereof; FIG. 3 is a top view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a front view thereof; and, FIG. 7 is a rear view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7