



US00D788999S

(12) **United States Design Patent**
Zinn et al.

(10) **Patent No.:** **US D788,999 S**

(45) **Date of Patent:** **** Jun. 6, 2017**

(54) **RECEIVER FOR A PET COLLAR**

(71) Applicant: **Radio Systems Corporation,**
Knoxville, TN (US)

(72) Inventors: **Kevin Zinn,** Knoxville, TN (US);
Robert A. Nytko, Knoxville, TN (US)

(73) Assignee: **Radio Systems Corporation,**
Knoxville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/557,723**

(22) Filed: **Mar. 11, 2016**

(51) **LOC (10) Cl.** **30-04**

(52) **U.S. Cl.**
USPC **D30/152**

(58) **Field of Classification Search**
USPC D14/137, 144, 147, 148, 155, 159, 188,
D14/191, 192, 225, 218, 247, 248,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,335,682 A * 6/1982 Gonda A01K 15/021
119/719
D298,872 S * 12/1988 Cassel D30/152
(Continued)

OTHER PUBLICATIONS

SportDOG replacement dog collar receiver at www.llbean.com,
accessed Mar. 27, 2016.

(Continued)

Primary Examiner — George D Kirschbaum

Assistant Examiner — Joseph Kukella

(74) *Attorney, Agent, or Firm* — Peter L. Brewer; Baker
Donelson IP Group

(57) **CLAIM**

The ornamental design for a receiver for a pet collar, as
shown and described.

DESCRIPTION

FIG. 1 is a first perspective view showing our new design for
a receiver for a pet collar, taken from a left front angle, in a
first embodiment.

FIG. 2 is a second perspective view of the receiver for a pet
collar of FIG. 1, but taken from a right front angle.

FIG. 3 is a top view thereof.

FIG. 4 is a third perspective view of the receiver for a pet
collar of FIG. 1, taken from a top left angle.

FIG. 5 is a fourth perspective view of the receiver for a pet
collar of FIG. 4, taken from a top right angle.

FIG. 6 is a left side elevational view thereof.

FIG. 7 is a right side elevational view thereof, which is a
mirror image of the left side elevational view.

FIG. 8 is a front elevational view thereof.

FIG. 9 is a back elevational view thereof.

FIG. 10 is a fifth perspective view of the receiver for a pet
collar of FIG. 1, taken from a rear bottom angle.

FIG. 11 is a sixth perspective view of the receiver for a pet
collar of FIG. 10, but taken from a front bottom angle.

FIG. 12 is a first perspective view showing our new design
for a receiver for a pet collar, taken from a left front angle,
in a second embodiment.

FIG. 13 is a second perspective view of the receiver for a pet
collar of FIG. 12, but taken from a right front angle.

FIG. 14 is a top view thereof.

FIG. 15 is a third perspective view of the receiver for a pet
collar of FIG. 12, taken from a top left angle.

FIG. 16 is a fourth perspective view of the receiver for a pet
collar of FIG. 15, taken from a top right angle.

FIG. 17 is a left side elevational view thereof.

FIG. 18 is a right side elevational view thereof, which is a
mirror image of the left side elevational view.

FIG. 19 is a front elevational view thereof.

FIG. 20 is a back elevational view thereof.

FIG. 21 is a bottom view thereof.

FIG. 22 is a first perspective view showing our new design
for a receiver for a pet collar, taken from a right front angle,
in a third embodiment.

(Continued)




FIG. 23 is top view thereof.
 FIG. 24 is a second perspective view of the receiver for a pet collar of FIG. 22, taken from a top left angle.
 FIG. 25 is a third perspective view of the receiver for a pet collar of FIG. 22, taken from a top right angle.
 FIG. 26 is a left side elevational view thereof.
 FIG. 27 is a right side elevational view thereof, which is a mirror image of the left side elevational view.
 FIG. 28 is a front elevational view thereof.
 FIG. 29 is a back elevational view thereof; and,
 FIG. 30 is a bottom view of the receiver for a pet collar of FIG. 22.

The structural features shown in broken lines have been shown for the purpose of illustrating portions of the receiver for a pet collar that form no part of the claimed design. The broken lines for the trademark "PetSafe" are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 11 Drawing Sheets

(58) **Field of Classification Search**

USPC D14/383-385, 417, 496; D10/104.1, D10/104.2, 106.1; D13/168; D22/120; D30/144, 151, 152
 CPC A01K 15/021; A45F 2200/0508; A45F 2200/0516; A45F 2200/0525; H04B 1/3827

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,794,402 A 12/1988 Gonda et al.
 4,802,482 A 2/1989 Gonda et al.
 D306,504 S * 3/1990 Young 119/856
 4,947,795 A 8/1990 Farkas
 5,054,428 A * 10/1991 Farkus A01K 27/009 119/720
 5,099,797 A * 3/1992 Gonda A01K 15/021 119/720
 D330,173 S * 10/1992 Juliana D30/152
 5,193,484 A * 3/1993 Gonda A01K 15/021 119/765
 5,207,178 A 5/1993 McDade et al.
 5,526,006 A 6/1996 Akahane et al.
 5,601,054 A * 2/1997 So A01K 15/022 119/718
 5,815,077 A 9/1998 Christiansen
 D410,206 S * 5/1999 Slater D10/104.1
 5,923,254 A 7/1999 Brune
 5,927,233 A 7/1999 Mainini et al.

6,003,474 A * 12/1999 Slater A01K 27/009 119/792
 6,019,066 A 2/2000 Taylor
 6,196,990 B1 3/2001 Zicherman
 996,983 A1 8/2001 Lee, IV et al.
 6,327,999 B1 12/2001 Gerig
 6,360,697 B1 3/2002 Williams
 6,598,563 B2 7/2003 Kim et al.
 6,807,720 B2 10/2004 Brune et al.
 6,907,844 B1 6/2005 Crist
 7,198,009 B2 4/2007 Crist et al.
 7,222,589 B2 5/2007 Lee et al.
 7,249,572 B2 7/2007 Goetzl
 7,267,081 B2 9/2007 Steinbacher
 7,562,640 B2 7/2009 Lalor
 7,667,607 B2 2/2010 Gerig et al.
 7,900,585 B2 3/2011 Lee, IV et al.
 8,011,327 B2 9/2011 Mainini et al.
 8,069,823 B2 12/2011 Mainini et al.
 8,098,164 B2 1/2012 Gerig et al.
 D661,846 S * 6/2012 Miller D30/152
 D665,952 S * 8/2012 Guo D30/152
 D666,367 S * 8/2012 Miller D30/152
 D673,334 S * 12/2012 Guo D30/152
 8,342,134 B2 1/2013 Lee, IV et al.
 8,342,135 B2 1/2013 Peinetti et al.
 D683,915 S * 6/2013 So D30/152
 D699,758 S * 2/2014 Lavin D14/496
 8,714,113 B2 5/2014 Lee, IV et al.
 D706,500 S * 6/2014 Hu D30/152
 8,803,692 B2 8/2014 Goetzl et al.
 D715,675 S * 10/2014 Ma D11/3
 D725,841 S * 3/2015 So D30/152
 D745,229 S * 12/2015 Pulliam D30/199
 D761,499 S * 7/2016 Pulliam D30/199
 D762,333 S * 7/2016 Pulliam D30/199
 2003/0169207 A1 9/2003 Beigel
 2005/0059909 A1 3/2005 Burges
 2005/0145196 A1 7/2005 Crist et al.
 2005/0235924 A1 10/2005 Lee et al.
 2005/0263106 A1 12/2005 Steinbacher
 2006/0102101 A1 5/2006 Kim
 2006/0191491 A1 * 8/2006 Nottingham A01K 27/005 119/721
 2008/0163827 A1 7/2008 Goetzl
 2009/0012355 A1 1/2009 Lin
 2010/0154721 A1 6/2010 Gerig
 2013/0233252 A1 * 9/2013 Bellon A01K 15/021 119/720
 2015/0040839 A1 2/2015 Goetzl

OTHER PUBLICATIONS

PetSafe in-ground fence dog collar receiver at www.flexpetz.com accessed Mar. 27, 2016.
 Petrainer e-collar for dogs at www.i-pets-mall accessed Mar. 27, 2016.
 PetSafe wireless fence system with dog boundary collar at www.petsafe.net accessed Mar. 27, 2016.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30