US00D789199S

(12) United States Design Patent

Kerill

(10) Patent No.: US D789,199 S
(45) Date of Patent: ** Jun. 13, 2017

(54) **ADJUSTABLE BEND OIL CONTAINER SPOUT**

(71) Applicant: **Bruce Allen Kerill**, West Chicago, IL (US)

(72) Inventor: **Bruce Allen Kerill**, West Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/560,330**

(22) Filed: **Apr. 5, 2016**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/447**

(58) **Field of Classification Search**
USPC D9/428, 429, 434, 435, 442, 443, D9/445–450, 453–456, 499, 682, 684, D9/685; D7/387, 388, 392, 392.1, 393, D7/396.2, 396.3, 396.4, 401.1, 408, 504, D7/507, 509–511, 538, 900; D3/202, D3/203.2, 318; D28/91.1, 73; D23/211.1, 211.2, 255
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 2585/545; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,409,224 A * 11/1968 Harp A47G 21/186 138/121
3,641,884 A * 2/1972 Jivoin B29C 53/30 264/286
4,121,835 A * 10/1978 Garabedian A47G 21/182 138/121
4,426,027 A * 1/1984 Maynard, Jr. B65D 47/063 222/529
D286,380 S * 10/1986 Harman D9/447
4,911,315 A * 3/1990 Shrum B65D 77/28 215/229
4,925,128 A * 5/1990 Brody B05B 11/047 222/211
D314,514 S * 2/1991 Ten Eyck D9/435
D318,427 S * 7/1991 Sherburne, Jr. 215/388
5,054,631 A * 10/1991 Robbins, III A47G 21/18 215/229
D327,848 S * 7/1992 Hanover 215/388
5,183,183 A * 2/1993 Hernandez A45F 3/16 206/221
5,337,918 A * 8/1994 Wang B65D 47/2012 215/229
(Continued)

Primary Examiner — Karen S Acker
Assistant Examiner — Wendy Arminio
(74) *Attorney, Agent, or Firm* — Charles F. Meroni, Jr.; Meroni & Meroni, P.C.

(57) **CLAIM**

The ornamental design for an adjustable bend oil container spout, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of the adjustable bend oil container spout showing my new design;
FIG. **2** is a perspective view of the adjustable bend oil container spout, shown from a different angle;
FIG. **3** is a top plan view thereof;
FIG. **4** is a bottom plan view thereof;
FIG. **5** is a left side elevation view thereof;
FIG. **6** is a right side elevation view thereof;
FIG. **7** is a front elevation view thereof; and,
FIG. **8** is a rear elevation view thereof.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

5,509,551	A *	4/1996	Terrell, II	A47G 19/2266 215/229
5,667,112	A *	9/1997	Verbruggen	B67D 7/005 222/539
5,848,721	A *	12/1998	Cornell	B65D 77/283 220/706
5,975,340	A *	11/1999	Cornell	A47G 21/18 220/706
6,354,062	B1 *	3/2002	Haughton	B65B 61/186 53/133.1
D468,205	S *	1/2003	Pierce	D9/440
D625,602	S *	10/2010	Schrimpf	D9/447
8,091,798	B2 *	1/2012	Bonds	A47G 21/185 239/12
D779,939	S *	2/2017	Boroski	D7/396.2
2002/0008109	A1 *	1/2002	Hirota	B65D 43/0212 220/258.2
2014/0001144	A1 *	1/2014	Adams	B65D 23/14 215/227
2014/0343487	A1 *	11/2014	Hlebnikov	A61J 7/0038 604/77
2015/0076011	A1 *	3/2015	Pernikoff	B32B 15/08 206/205

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8