

US00D789199S

(12) **United States Design Patent**  
**Kerill**

(10) **Patent No.:** **US D789,199 S**  
(45) **Date of Patent:** **\*\* Jun. 13, 2017**

- (54) **ADJUSTABLE BEND OIL CONTAINER SPOUT**
- (71) Applicant: **Bruce Allen Kerill**, West Chicago, IL (US)
- (72) Inventor: **Bruce Allen Kerill**, West Chicago, IL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/560,330**
- (22) Filed: **Apr. 5, 2016**
- (51) **LOC (10) Cl.** ..... **09-07**
- (52) **U.S. Cl.**  
USPC ..... **D9/447**
- (58) **Field of Classification Search**  
USPC ..... D9/428, 429, 434, 435, 442, 443, D9/445-450, 453-456, 499, 682, 684, D9/685; D7/387, 388, 392, 392.1, 393, D7/396.2, 396.3, 396.4, 401.1, 408, 504, D7/507, 509-511, 538, 900; D3/202, D3/203.2, 318; D28/91.1, 73; D23/211.1, 211.2, 255  
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D 1/02; B65D 1/10; B65D 1/46; B65D 2585/56; B65D 2585/545; B65D 41/00; B65D 41/38; B65D 41/56; B65D 41/62; B65D 47/00; B65D 47/06; B65D 47/08; B65D 2543/00046; B65D 2543/00092; B65D 2543/00296; B65D 5/46; B65D 2251/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,409,224 A \* 11/1968 Harp ..... A47G 21/186  
138/121
- 3,641,884 A \* 2/1972 Jivoin ..... B29C 53/30  
264/286

- 4,121,835 A \* 10/1978 Garabedian ..... A47G 21/182  
138/121
- 4,426,027 A \* 1/1984 Maynard, Jr. .... B65D 47/063  
222/529
- D286,380 S \* 10/1986 Harman ..... D9/447
- 4,911,315 A \* 3/1990 Shrum ..... B65D 77/28  
215/229
- 4,925,128 A \* 5/1990 Brody ..... B05B 11/047  
222/211
- D314,514 S \* 2/1991 Ten Eyck ..... D9/435
- D318,427 S \* 7/1991 Sherburne, Jr. .... 215/388
- 5,054,631 A \* 10/1991 Robbins, III ..... A47G 21/18  
215/229
- D327,848 S \* 7/1992 Hanover ..... 215/388
- 5,183,183 A \* 2/1993 Hernandez ..... A45F 3/16  
206/221
- 5,337,918 A \* 8/1994 Wang ..... B65D 47/2012  
215/229

(Continued)

*Primary Examiner* — Karen S Acker  
*Assistant Examiner* — Wendy Arminio  
(74) *Attorney, Agent, or Firm* — Charles F. Meroni, Jr.;  
Meroni & Meroni, P.C.


(57) **CLAIM**

The ornamental design for an adjustable bend oil container spout, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the adjustable bend oil container spout showing my new design;  
FIG. 2 is a perspective view of the adjustable bend oil container spout, shown from a different angle;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevation view thereof;  
FIG. 6 is a right side elevation view thereof;  
FIG. 7 is a front elevation view thereof; and,  
FIG. 8 is a rear elevation view thereof.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

5,509,551 A \* 4/1996 Terrell, II ..... A47G 19/2266  
215/229  
5,667,112 A \* 9/1997 Verbruggen ..... B67D 7/005  
222/539  
5,848,721 A \* 12/1998 Cornell ..... B65D 77/283  
220/706  
5,975,340 A \* 11/1999 Cornell ..... A47G 21/18  
220/706  
6,354,062 B1 \* 3/2002 Haughton ..... B65B 61/186  
53/133.1  
D468,205 S \* 1/2003 Pierce ..... D9/440  
D625,602 S \* 10/2010 Schrimpf ..... D9/447  
8,091,798 B2 \* 1/2012 Bonds ..... A47G 21/185  
239/12  
D779,939 S \* 2/2017 Boroski ..... D7/396.2  
2002/0008109 A1 \* 1/2002 Hirota ..... B65D 43/0212  
220/258.2  
2014/0001144 A1 \* 1/2014 Adams ..... B65D 23/14  
215/227  
2014/0343487 A1 \* 11/2014 Hlebnikov ..... A61J 7/0038  
604/77  
2015/0076011 A1 \* 3/2015 Pernikoff ..... B32B 15/08  
206/205

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8