



US00D789317S

(12) **United States Design Patent**  
**Lee et al.**

(10) **Patent No.:** **US D789,317 S**  
(45) **Date of Patent:** **\*\* Jun. 13, 2017**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,  
Suwon-si, Gyeonggi-do (KR)

(72) Inventors: **Minhyouk Lee**, Seongnam-si (KR);  
**Seungho Lee**, Seoul (KR); **Kisung Kim**,  
Gwangmyeong-si (KR); **Jaewoong Chung**,  
Seongnam-si (KR); **Duyeong Choi**, Anyang-si (KR); **Jisu Hwang**,  
Seoul (KR)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**,  
Gyeonggi-Do (KR)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/539,218**

(22) Filed: **Sep. 11, 2015**

(30) **Foreign Application Priority Data**

Jul. 15, 2015 (KR) ..... 30-2015-0035560

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/138 G**

(58) **Field of Classification Search**  
USPC ..... D14/138 G, 138 R, 203.1, 203.3, 203.5,  
D14/203.7, 248, 250, 251, 253, 341, 440  
CPC .... H04M 1/02; H04M 1/0202; H04M 1/0235;  
H04M 1/0237; H04M 1/0239; H04M  
1/03; H04M 1/23; H04M 1/72519; H04M  
1/72522; G06F 1/1626  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D558,758 S \* 1/2008 Andre ..... D14/138 G  
D619,573 S \* 7/2010 Khan ..... D14/250  
D656,476 S \* 3/2012 Han ..... D14/138 G

D657,331 S \* 4/2012 Jung ..... D14/138 G  
D675,586 S \* 2/2013 Choi ..... D14/138 G  
D676,819 S \* 2/2013 Choi ..... D14/138 G  
D697,888 S \* 1/2014 Jung ..... D14/138 G  
D697,889 S \* 1/2014 Ahn ..... D14/138 G  
D698,329 S \* 1/2014 Im ..... D14/138 G  
D707,223 S \* 6/2014 Akana ..... D14/341  
D711,341 S \* 8/2014 Shin ..... D14/138 G  
D721,342 S \* 1/2015 Kim ..... D14/138 G

(Continued)

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Joseph Kukella

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an electronic device, showing our new design in a first embodiment;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left-side view thereof;

FIG. 5 is a right-side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a front perspective view of an electronic device, showing our new design in a second embodiment;

FIG. 10 is a front view thereof;

FIG. 11 is a rear view thereof;

FIG. 12 is a left-side view thereof;

FIG. 13 is a right-side view thereof;


FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof; and,

FIG. 16 is a rear perspective view thereof.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D730,881 S \* 6/2015 Lee ..... D14/248  
D738,371 S \* 9/2015 Akana ..... D14/341  
D740,281 S \* 10/2015 Kim ..... D14/341  
D744,447 S \* 12/2015 Ryu ..... D14/138 G  
2016/0233573 A1\* 8/2016 Son ..... H04M 1/0202

\* cited by examiner

FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8






FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16

