



US00D789342S

(12) **United States Design Patent**  
**Sirichai**

(10) **Patent No.:** **US D789,342 S**

(45) **Date of Patent:** **\*\* Jun. 13, 2017**

(54) **REVERSIBLE CASE WITH  
DEVICE-HOLDING CRADLE FOR A  
MOBILE COMMUNICATIONS DEVICE**

(71) Applicant: **Saharut Sirichai**, Bangkok (TH)

(72) Inventor: **Saharut Sirichai**, Bangkok (TH)

(73) Assignee: **WORLD RICHMAN  
MANUFACTURING  
CORPORATION**, Elgin, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/496,434**

(22) Filed: **Jul. 12, 2014**

(51) **LOC (10) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/250**

(58) **Field of Classification Search**  
USPC ..... D14/238.1, 440, 203.3–203.7, 217, 240,  
D14/248, 251–253, 447, 496, 250;  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D414,033 S \* 9/1999 Rohm ..... D3/201  
D582,405 S \* 12/2008 Andre ..... D3/299  
(Continued)

*Primary Examiner* — Carla Jobe Wright

(74) *Attorney, Agent, or Firm* — Christopher J. Scott

(57) **CLAIM**

The ornamental design for a reversible case with device-holding cradle for a mobile communications device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a reversible case with device-holding cradle for a mobile communications device

showing my new design with the cover portion in a first open position and showing a first side of the cover portion.

FIG. 2 is another front perspective view thereof with the cover portion in a second open position and showing a second side of the cover portion.

FIG. 3 is a rear perspective view thereof with the cover portion in the first open position and showing the second side of the cover portion.

FIG. 4 is another rear perspective view thereof with the cover portion in the second open position and showing the first side of the cover portion.

FIG. 5 is a front elevation view thereof with the cover portion in the first open position and showing the first side of the cover portion.

FIG. 6 is a rear elevation view thereof with the cover portion in the first open position and showing the second side of the cover portion.

FIG. 7 is another front elevation view thereof with the cover portion in the second open position and showing the second side of the cover portion.

FIG. 8 is another rear elevation view thereof with the cover portion in the second open position and showing the first side of the cover portion.

FIG. 9 is an end view thereof with the cover portion in the first open position.

FIG. 10 is another end view thereof with the cover portion in the second open position.

FIG. 11 is an enlarged fragmentary view thereof taken from FIG. 9 to more clearly disclose the appearance of the case and the contrast between the first and second sides of the cover portion.

FIG. 12 is a rear elevation view thereof with the cover portion in a first closed position and showing the second side of the cover portion.

FIG. 13 is a front elevation view thereof with the cover portion in the first closed position and showing the second side of the cover portion.

FIG. 14 is a front perspective view thereof with the cover portion in the first closed position and showing the second side of the cover portion.

FIG. 15 is a rear perspective view thereof with the cover portion in the first closed position and showing the second side of the cover portion.

(Continued)





FIG. 16 is an end view thereof with the cover portion in the first closed position.

FIG. 17 is a right-side elevation view thereof with the cover portion in the first closed position.

FIG. 18 is another end view thereof with the cover portion in the first closed position.

FIG. 19 is a left-side elevation view thereof with the cover portion in the first closed position.

FIG. 20 is a front perspective view thereof with the cover portion in a first alternate configuration; and,

FIG. 21 is a another front perspective view thereof with the cover portion in a second alternate configuration.

The broken lines in Figure Nos. 9 and 11, which form no part of the claimed design, encircle a portion of the claimed design that is shown on an enlarged scale in FIG. 11.

**1 Claim, 12 Drawing Sheets**

(58) **Field of Classification Search**

USPC ..... D3/201, 218, 247, 269, 273, 301, 303;  
D13/103, 107-108, 119

CPC ..... H04B 1/3888; H04M 1/0283; H04M  
1/0202; A45C 1/06; A45C 11/00; A45C  
13/02; A45C 2011/002; A45F 2005/026;  
A45F 2200/0525; A45F 2200/0516

See application file for complete search history.

(56)

**References Cited**

U.S. PATENT DOCUMENTS

D621,396	S *	8/2010	Lee	.....	D14/252
D670,293	S *	11/2012	Shimizu	.....	D14/440
D677,668	S *	3/2013	Phillips	.....	D14/440
D694,245	S *	11/2013	Sanz	.....	D14/440
D696,256	S *	12/2013	Piedra	.....	D14/440
D698,773	S *	2/2014	Wildner	.....	D14/250
D702,673	S *	4/2014	Murchison	.....	D14/250
D709,690	S *	7/2014	Zhang	.....	D3/218
D711,861	S *	8/2014	Mei	.....	D14/250
D713,834	S *	9/2014	Almstrom	.....	D14/250
D724,092	S *	3/2015	Zangari	.....	D14/440
D727,332	S *	4/2015	Hirsch	.....	D14/440
D729,522	S *	5/2015	Kim	.....	D3/218
D733,152	S *	6/2015	Sirichai	.....	D14/440
9,118,390	B2 *	8/2015	Lin	.....	H04B 1/3888
D744,489	S *	12/2015	Sirichai	.....	D14/440
D744,490	S *	12/2015	Hsu	.....	D14/440
D745,780	S *	12/2015	Feng	.....	D3/269
D755,168	S *	5/2016	Kim	.....	D14/250
D757,431	S *	5/2016	Requa	.....	D3/247
D760,708	S *	7/2016	Hirst	.....	D14/250
2008/0096620	A1 *	4/2008	Lee	.....	G06F 1/1626 455/575.8
2012/0043234	A1 *	2/2012	Westrup	.....	A45C 3/02 206/320
2014/0262934	A1 *	9/2014	Fathollahi	.....	A45C 13/002 206/774

\* cited by examiner






FIG. 1




FIG 2





FIG. 3



FIG. 4






FIG. 5






FIG. 6





FIG. 7






FIG. 8






FIG. 10




FIG. 11




FIG. 9






FIG. 12




FIG. 13






FIG. 14




FIG. 15






FIG.16

FIG.17

FIG.18

FIG.19






FIG. 20






FIG. 21