



US00D789472S

(12) **United States Design Patent**  
**Sarkees**

(10) **Patent No.:** **US D789,472 S**  
(45) **Date of Patent:** **\*\* Jun. 13, 2017**

(54) **HIT PAD**

(71) Applicant: **Martin Sarkees**, Central, SC (US)

(72) Inventor: **Martin Sarkees**, Central, SC (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/564,388**

(22) Filed: **May 12, 2016**

(51) **LOC (10) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/788**

(58) **Field of Classification Search**  
USPC ..... D21/621, 623, 627, 635, 698, 699, 780,  
D21/787, 788, 798, 302-306; D20/31,  
D20/32; D29/100; 473/422, 438,  
473/440-445; 482/83-90  
CPC ..... A63B 63/00; A63B 69/00; A63B 69/002;  
A63B 69/004; A63B 69/34; A63B  
69/345; A63B 69/20; A63B 69/201; A63B  
69/203; A63B 69/205; A63B 69/206;  
A63B 69/208; A63B 69/26; A63B 71/12;  
A63B 2071/0063; A63B 2071/1208  
See application file for complete search history.

D217,195 S \* 4/1970 Burrell ..... D20/32  
3,907,291 A 9/1975 Parker  
D239,849 S \* 5/1976 Kopp ..... D21/788  
5,090,696 A \* 2/1992 Forrest, Sr. .... A63B 69/345  
473/444  
5,281,191 A 1/1994 DeSousa  
5,335,906 A 8/1994 Delker  
5,415,552 A \* 5/1995 Harmon ..... A63B 69/345  
434/247  
6,261,194 B1 \* 7/2001 Hadar ..... A63B 69/345  
473/422  
6,942,585 B1 \* 9/2005 Krause ..... A63B 69/002  
473/441  
7,056,238 B1 6/2006 Brown  
D678,444 S 3/2013 Jordan  
D679,769 S \* 4/2013 Staten ..... D21/788  
8,814,729 B2 8/2014 Hartigan  
9,254,429 B1 2/2016 Gilman  
2007/0099730 A1 \* 5/2007 Driver ..... A63B 69/002  
473/422  
2008/0026918 A1 \* 1/2008 Lemke ..... A63B 21/055  
482/87

(Continued)

*Primary Examiner* — Catherine Tuttle  
(74) *Attorney, Agent, or Firm* — Southeast IP Group,  
LLC.; Thomas L. Moses; Randolph J. Tucker

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,663,659 A \* 3/1928 Hart ..... A63B 69/345  
473/444  
1,906,693 A 3/1932 Loughlin  
RE20,652 E \* 2/1938 Hecht ..... A63H 33/06  
446/101  
2,749,121 A \* 6/1956 Myers ..... A63B 69/345  
473/443  
2,904,337 A \* 9/1959 Canning ..... A63B 69/345  
473/444  
2,984,485 A \* 5/1961 Brown ..... A63B 69/345  
211/163  
3,396,969 A 8/1968 Rosenfeld


(57) **CLAIM**

The ornamental design for the hit pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of my design for a hit pad;  
FIG. 2 is a back elevation view thereof;  
FIG. 3 is a left side elevation view thereof;  
FIG. 4 is a right side elevation view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan thereof.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2011/0165972 A1\* 7/2011 Forrest, Sr. .... A63B 69/002  
473/445  
2012/0252636 A1\* 10/2012 Chen ..... A63B 69/34  
482/85  
2013/0143693 A1\* 6/2013 Forrest, Sr. .... A63B 69/345  
473/444  
2013/0296141 A1 11/2013 Partlo  
2014/0302949 A1\* 10/2014 Yeatman ..... A63B 69/34  
473/446  
2015/0065273 A1\* 3/2015 Lake ..... A63B 69/34  
473/422  
2015/0258408 A1 9/2015 Arena et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6