



US00D789549S

(12) **United States Design Patent** (10) **Patent No.:** **US D789,549 S**
Matsuura (45) **Date of Patent:** **** Jun. 13, 2017**

(54) **HANDLE FOR PRESSURE REDUCING
DEVICE OF EJACULATION PROMOTION
DEVICE**

(71) Applicant: **TENGA CO., LTD.**, Nakano-ku, Tokyo
(JP)

(72) Inventor: **Tsutomu Matsuura**, Tokyo (JP)

(73) Assignee: **TENGA CO., LTD.**, Nakano-ku (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/529,405**

(22) Filed: **Jun. 5, 2015**

(30) **Foreign Application Priority Data**

Feb. 17, 2015 (JP) 2015-003100

(51) **LOC (10) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/214**

(58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215;
601/19, 27-32, 46, 48, 52, DIG. 12,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,741,329 A * 5/1988 Marcune A61F 5/41
600/41
4,856,499 A * 8/1989 Kelly A61F 5/41
600/38

(Continued)

Primary Examiner — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a handle for pressure reducing device of ejaculation promotion device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the handle for pressure reducing device of ejaculation promotion device according to the invention;

FIG. 2 is a front elevation view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1; FIG. 3 is a rear elevation view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1; FIG. 4 is a left side elevation view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1; FIG. 5 is a right side elevation view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1;

FIG. 6 is a top plan view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1;

FIG. 7 is a bottom plan view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1; FIG. 8 is an exploded view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1 along with an adaptor and an ejaculation promotion device; FIG. 9 is a perspective view of the handle for pressure reducing device of ejaculation promotion device of FIG. 1, being attached to the adaptor and the ejaculation promotion device;


FIG. 10 is a cross-sectional view of the handle for pressure reducing device of ejaculation promotion device through line 10-10 shown in FIG. 2;

FIG. 11 is a cross-sectional view of the handle for pressure reducing device of ejaculation promotion device through line 11-11 shown in FIG. 5; and,

FIG. 12 is a cross-sectional view of the handle for pressure reducing device of ejaculation promotion device through line 12-12 shown in FIG. 9.

The broken line showing of the pressure reducing device of ejaculation promotion device is for the purpose of illustrating portions of the handle for pressure reducing device of ejaculation promotion device and/or the environmental structure and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



(58) **Field of Classification Search**

USPC 601/DIG. 14, DIG. 15, DIG. 16, DIG. 17,
601/38, 112, 118–121, 125; D30/160;
D21/662

CPC A61H 19/30; A61H 19/32; A61H 19/34;
A61H 19/40; A61H 19/44; A61H 19/50;
A61H 19/00; A61H 2201/0153; A61H
2201/1253; A61H 2205/082; A61H
2205/085; A61H 2205/022–2205/025;
A61H 15/0085; A61H 15/0092; A61H
15/00; A61H 13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D420,740	S	*	2/2000	Gamper		D24/143
D421,652	S	*	3/2000	Gamper		D24/143
6,036,635	A	*	3/2000	Altshuler		A61F 5/41 600/38
6,248,059	B1	*	6/2001	Gamper		A61F 5/41 600/38
6,350,230	B1	*	2/2002	Kontos		A61H 19/44 600/38
7,699,795	B2	*	4/2010	Nan		A45D 34/041 601/131
D736,400	S	*	8/2015	Matsuura		D24/215
D736,401	S	*	8/2015	Matsuura		D24/215
2007/0149903	A1	*	6/2007	Nan		A61H 19/34 601/72
2008/0091128	A1	*	4/2008	Nan		A61H 23/0263 601/70

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

