

US00D790154S

(12) **United States Design Patent** (10) **Patent No.:** **US D790,154 S**
Larson et al. (45) **Date of Patent:** **** Jun. 27, 2017**

(54) **EMBOSSSED BREAD PRODUCT**

(71) Applicant: **General Mills, Inc.**, Minneapolis, MN
(US)

(72) Inventors: **Bruce D. Larson**, Monticello, MN
(US); **Jeremy B. Thompson**, Hopkins,
MN (US); **Todd A. Rasmussen**, North
Branch, MN (US); **James D. Bosin**,
Lino Lakes, MN (US); **Benjamin R.**
Heyda, Shakopee, MN (US)

(73) Assignee: **General Mills, Inc.**, Minneapolis, MN
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,584**

(22) Filed: **Jan. 14, 2016**

(51) **LOC (10) Cl.** **01-01**

(52) **U.S. Cl.**
USPC **D1/129; D1/121**

(58) **Field of Classification Search**
USPC D1/100–130, 199; 426/104, 115, 121,
426/129, 130, 144, 273, 274, 303, 414,
426/517, 518, 803; D21/386; D25/105,
D25/111, 113, 122, 123, 138;
D24/101–104; D28/8.1; D5/53;
D23/366
CPC A21D 13/0025; A21D 13/0029; A21D
13/0074; A21D 13/0022; A21D 13/0006;
A23K 1/1826; A23G 3/343
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,344,570 A * 10/1967 Marson E01C 5/22
404/44
4,354,773 A * 10/1982 Noack E01C 5/00
404/41

4,859,504 A * 8/1989 Rossiter B44F 9/04
427/262
D397,802 S * 9/1998 Terry D25/113
D404,147 S * 1/1999 Woolford D25/113
D439,677 S * 3/2001 Mattox D25/113
6,820,383 B2 * 11/2004 Vos B28B 7/0064
52/311.1
D584,423 S * 1/2009 Mugge D25/113
D602,604 S * 10/2009 Harris D25/113
D611,164 S * 3/2010 Mugge D25/113
D713,116 S * 9/2014 Dingley D1/121

(Continued)

Primary Examiner — Garth Rademaker

Assistant Examiner — Katie Stofko Mroczka

(74) *Attorney, Agent, or Firm* — Diederiks & Whitelaw,
PLC; John L. Crimmins, Esq.


(57) **CLAIM**

The ornamental design for an embossed bread product, as
shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of an embossed bread
product according to our new design;
FIG. 2 is a top plan view of the embossed bread product of
FIG. 1;
FIG. 3 is a bottom plan view of the embossed bread product
of FIG. 1;
FIG. 4 is an elevational view of one end of the embossed
bread product of FIG. 1;
FIG. 5 is an elevational view of an opposing end of the
embossed bread product of FIG. 1;
FIG. 6 is a side elevational view the embossed bread product
of FIG. 1; and,
FIG. 7 is an opposing side elevational view the embossed
bread product of FIG. 1.
The broken lines in FIG. 1 illustrate portions of the
embossed bread product that form no part of the claimed
design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D765,235 S	*	8/2016	O’Kane	D23/366
D771,826 S	*	11/2016	Pochman	D24/189

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7