

US00D790338S

(12) **United States Design Patent**  
**Cook et al.**

(10) **Patent No.:** **US D790,338 S**  
(45) **Date of Patent:** **\*\* Jun. 27, 2017**

- (54) **CAP FOR A DISPENSER**
- (71) Applicant: **S.C. Johnson & Son, Inc.**, Racine, WI (US)
- (72) Inventors: **Cristina M. Cook**, Milwaukee, WI (US); **Fei Gao**, Chicago, IL (US); **Donald J. Schumacher**, Racine, WI (US)
- (73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI (US)

3,010,140 A 11/1961 Thomas  
 D208,115 S 7/1967 Carlton  
 D233,898 S \* 12/1974 Warren ..... D21/373  
 4,983,061 A 1/1991 Demarest  
 D375,157 S \* 10/1996 Kramer ..... D24/101  
 (Continued)

**FOREIGN PATENT DOCUMENTS**

EM 000072525-0001 9/2003  
 EM 000142518-0001 3/2004  
 (Continued)

- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/542,006**
- (22) Filed: **Oct. 9, 2015**

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/458,188, filed in the USPTO on Jun. 17, 2013, Inventor Name: Cook, Cristina M. et al.  
 (Continued)

**Related U.S. Application Data**

- (62) Division of application No. 29/458,189, filed on Jun. 17, 2013, now Pat. No. Des. 746,690.
- (51) **LOC (10) Cl.** ..... **09-07**
- (52) **U.S. Cl.**  
USPC ..... **D9/435**
- (58) **Field of Classification Search**  
USPC ..... D3/200; D9/435, 436, 445, 447, 503, D9/549, 550, 558, 686-690, 723-727; D28/78, 91.1; 15/97.2, 97.3, 227; 215/200, 381, 382; 222/1, 71, 173; D1/127; D2/961, 965, 966; D21/386, D21/390, 437, 439, 443, 445; D24/101, D24/102, 189; D25/138, 139  
CPC ..... A47L 23/02; A47L 23/04; A47L 23/05; B65D 79/02; B67D 7/06  
See application file for complete search history.

*Primary Examiner* — Ian Simmons  
*Assistant Examiner* — Janice Lim

(57) **CLAIM**

The ornamental design for a cap for a dispenser, as shown and described.


**DESCRIPTION**

FIG. 1 is a top, front, left side isometric view of a cap for a dispenser, showing our new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a left side elevational view thereof, and the right side elevational view being a mirror image thereof;  
 FIG. 5 is a top plan view thereof; and,  
 FIG. 6 is a bottom plan view thereof.  
 The broken line portions show unclaimed subject matter only and form no part of the claimed design.  
 The dot-dash broken lines on the cap of FIGS. 1-5 depict a boundary between the claimed and unclaimed portions only and form no part of the claimed design.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS

D190,785 S \* 6/1961 Kruck ..... D27/160  
 D191,650 S \* 10/1961 Kruck ..... D28/85

**1 Claim, 3 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D402,549 S 12/1998 Nahum Albright  
 D411,933 S \* 7/1999 Bernstein ..... 5/735  
 D412,598 S 8/1999 Gudefin  
 D414,005 S 9/1999 Lehnertz  
 D417,033 S 11/1999 Sachs et al.  
 D434,525 S 11/2000 Angeletta  
 D436,039 S \* 1/2001 Moretti ..... D9/448  
 D442,861 S 5/2001 Sagel  
 D446,346 S 8/2001 Angeletta  
 D448,521 S 9/2001 Angeletta  
 D449,524 S 10/2001 Kieras  
 D452,164 S \* 12/2001 Buss ..... D10/1  
 D468,209 S 1/2003 Joubert  
 D468,210 S 1/2003 Joubert  
 6,502,513 B1 \* 1/2003 Barnes ..... B60R 21/2644  
 102/286  
 D489,970 S 5/2004 Nelson et al.  
 D497,038 S 10/2004 Tsai  
 D507,493 S 7/2005 Nelson et al.  
 D517,733 S \* 3/2006 Tsai ..... D28/78  
 D520,678 S 5/2006 Weggelaar  
 D525,130 S 7/2006 Bloc  
 D535,741 S \* 1/2007 Stawski ..... D24/101  
 D537,359 S 2/2007 Butler et al.  
 D538,473 S 3/2007 Rhoades  
 D539,142 S 3/2007 Butler et al.  
 D546,512 S \* 7/2007 Kertz ..... D1/127  
 D555,506 S \* 11/2007 Auer ..... D9/690  
 D558,393 S 12/2007 Angeletta  
 D571,204 S 6/2008 Sweeton  
 D580,761 S 11/2008 Sweeton  
 D581,789 S 12/2008 Ames et al.  
 D582,272 S 12/2008 Cichy  
 D582,292 S 12/2008 Short et al.  
 D583,668 S 12/2008 Sweeton  
 D584,960 S 1/2009 Sherwood  
 D590,712 S 4/2009 Sweeton  
 D591,612 S 5/2009 Ames et al.  
 D592,527 S 5/2009 Serio et al.  
 D595,575 S 7/2009 Cichy  
 D598,283 S 8/2009 Ames et al.

D604,610 S 11/2009 Ames et al.  
 D647,567 S \* 10/2011 Yuan ..... D19/75  
 D657,957 S 4/2012 Camp  
 D685,081 S \* 6/2013 Ferguson ..... D24/101  
 2001/0023877 A1 \* 9/2001 Walters ..... B65D 83/206  
 222/185.1  
 2006/0011660 A1 \* 1/2006 Sandlin ..... B05B 11/0013  
 222/321.9  
 2011/0284576 A1 11/2011 Marganski et al.  
 2013/0022387 A1 1/2013 Purizhansky et al.

FOREIGN PATENT DOCUMENTS

EM 000142518-0002 3/2004  
 EM 000163795-0012 4/2004  
 EM 000163795-0014 4/2004  
 EM 000176953-0001 5/2004  
 EM 000387576-0001 8/2005  
 EM 000514948-0003 4/2006  
 EM 000515069-0012 4/2006  
 EM 000598164-0001 10/2006  
 EM 000686498-0001 3/2007  
 EM 000724810-0001 5/2007  
 EM 000853908-0003 12/2007  
 EM 000853908-0004 12/2007  
 EM 001120380-0001 4/2009  
 EM 001120380-0008 4/2009  
 EM 001169973-0005 10/2009  
 EM 001628975-0003 10/2009  
 EM 001631284-0001 11/2009  
 EM 001220230-0002 6/2010  
 WO DM/050979 3/2000  
 WO DM/064636 10/2003  
 WO DM/066664 4/2005  
 WO DM/073259 2/2010  
 WO DM/073778 2/2010  
 WO 2013/013115 1/2013

OTHER PUBLICATIONS

U.S. Appl. No. 29/525,944, filed in the USPTO on May 5, 2015,  
 Inventor Name: Cook, Cristina M. et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6