



US00D790342S

(12) **United States Design Patent** (10) **Patent No.:** **US D790,342 S**
Farrell et al. (45) **Date of Patent:** **** Jun. 27, 2017**

(54) **CONTAINER SHROUD**

(71) Applicant: **The Procter & Gamble Company**,
Cincinnati, OH (US)
(72) Inventors: **Michael Sean Farrell**, Terrace Park,
OH (US); **William Michael Cannon**,
West Harrison, OH (US); **John William**
Koenig, Cincinnati, OH (US)
(73) Assignee: **The Procter & Gamble Company**,
Cincinnati, OH (US)

(**) Term: **14 Years**
(21) Appl. No.: **29/525,950**
(22) Filed: **May 5, 2015**

Related U.S. Application Data

(62) Division of application No. 29/448,648, filed on Mar.
13, 2013, now Pat. No. Des. 731,321.
(51) **LOC (10) Cl.** **09-07**
(52) **U.S. Cl.**
USPC **D9/448**
(58) **Field of Classification Search**
USPC D9/682-694, 516, 520, 522, 523, 526,
D9/527, 530, 531, 536, 543, 554, 567,
D9/434-436, 443, 445, 448, 719, 739,
D9/767, 763, 772-781, 501, 517, 455;
215/370, 376, 379, 382-384; 220/601,
220/608, 623, 628, 635, 636, 660,
220/669-675; 222/153.11-153.14, 182,
222/183, 184, 186, 179.5, 192, 631, 635,
222/209, 211, 321.1-321.5, 321.6-321,
222/323-327, 372, 373, 383.1, 386, 389,
222/391, 400.5-401, 402-402.25
CPC . B05B 11/00; B05B 11/3059; B05B 11/3057;
B05B 11/3009; B05B 11/3011; B05B
11/0078; B05B 11/3004; B05B 11/3045;
B05B 11/3001; B65D 83/14; B65D
83/30; B65D 83/32; B65D 83/38; B65D
83/0033

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,341,330 A 7/1982 Mascia et al.
4,442,944 A 4/1984 Yoshino et al.
D279,166 S 6/1985 Tada
D386,687 S 11/1997 Fitten et al.
D448,670 S 10/2001 Bretz et al.
D489,970 S 5/2004 Nelson et al.
D507,493 S 7/2005 Nelson et al.
D537,359 S 2/2007 Butler et al.
D539,142 S 3/2007 Butler et al.

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/448,648, filed Mar. 13, 2013, Michael Sean
Farrell, et al.

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Abbey A. Lopez


(57) **CLAIM**

The ornamental design for a container shroud, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the container shroud
embodying our new design;
FIG. 2 is a front view of FIG. 1;
FIG. 3 is a right side view of FIG. 1;
FIG. 4 is a rear view of FIG. 1;
FIG. 5 is a left side view of FIG. 1;
FIG. 6 is a top view of FIG. 1; and,
FIG. 7 is a bottom view of FIG. 1.
Broken lines are included for the purpose of illustrating the
portions of the container shroud that form no part of the
claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D559,682	S	1/2008	Meeker et al.	
D561,318	S	2/2008	Naksen et al.	
D564,353	S	3/2008	Ruiz De Gopegui et al.	
D569,723	S	5/2008	Sellick	
D581,789	S	12/2008	Ames et al.	
D582,272	S *	12/2008	Cichy	D9/448
D590,712	S *	4/2009	Sweeton	D9/448
D591,612	S	5/2009	Ames et al.	
D595,575	S	7/2009	Cichy	
D598,283	S	8/2009	Ames et al.	
7,721,920	B2	5/2010	Ruiz De Gopegui et al.	
7,784,650	B2	8/2010	Bates et al.	
D623,071	S	9/2010	Driskell et al.	
D634,194	S *	3/2011	Driskell	D9/445
8,074,847	B2	12/2011	Smith	
8,590,729	B2	11/2013	Kamineni et al.	
8,936,180	B2 *	1/2015	Sell	H01F 17/04 222/402.13
2011/0303682	A1	12/2011	Infanti et al.	
2014/0110440	A1	4/2014	Good et al.	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7