



US00D790424S

(12) **United States Design Patent**
Valencia Pollex

(10) **Patent No.:** **US D790,424 S**

(45) **Date of Patent:** **** Jun. 27, 2017**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/575,932**

(22) Filed: **Aug. 30, 2016**

(30) **Foreign Application Priority Data**

Mar. 2, 2016 (EM) 003 009 810-0002

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**
USPC D12/204-213
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D374,420 S * 10/1996 Neeper D12/209
D395,631 S * 6/1998 Moreno D12/209
D402,612 S * 12/1998 Nishida D12/209
D407,054 S * 3/1999 Kelley D12/209

D436,572 S * 1/2001 Brown D12/209
D440,199 S * 4/2001 Donikoglu D12/209
D442,536 S * 5/2001 Chung D12/211
D450,646 S * 11/2001 Kuribayashi D12/209
D502,435 S * 3/2005 Kuninari D12/209
D567,166 S * 4/2008 Bogani D12/209
D622,197 S * 8/2010 Zhao D12/209
D639,715 S * 6/2011 Furst D12/209
D669,007 S * 10/2012 Starr, Jr. D12/209
D695,190 S * 12/2013 Goto D12/209
D707,166 S * 6/2014 Wheel D12/209
D719,891 S * 12/2014 Johnson D12/209
D733,023 S * 6/2015 Ferrett D12/209
D740,734 S * 10/2015 Wheel D12/209
D745,842 S * 12/2015 Wheel D12/209
D748,031 S * 1/2016 Miyazawa D12/209
D759,565 S * 6/2016 Cybulski D12/209
D760,138 S * 6/2016 Henderson D12/209
D769,165 S * 10/2016 Choi D12/209
D774,437 S * 12/2016 Nakano D12/209
D781,762 S * 3/2017 Setter D12/209
D782,951 S * 4/2017 Bjerke D12/209

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP; Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2