US00D790455S

(12) United States Design Patent

McGarry et al.

(10) Patent No.: US D790,455 S
(45) Date of Patent: ** *Jun. 27, 2017

(54) **CHARGING UNIT**

(71) Applicant: **Philip Morris Products S.A.**, Neuchatel (CH)

(72) Inventors: **Rory McGarry**, Monkstown (IE); **George Barrett**, Dublin (IE); **Florent Cuchet**, Blackrock (IE); **Cathal Loughnane**, Gorey (IE)

(73) Assignee: **PHILIP MORRIS PRODUCTS S.A.**, Neuchatel (CH)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/522,206**

(22) Filed: **Mar. 27, 2015**

(30) **Foreign Application Priority Data**

Jan. 16, 2015 (EM) 002615112-0001
Jan. 16, 2015 (EM) 002615112-0002
Jan. 16, 2015 (EM) 002615112-0003

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434; D27/141, 170, 186, D27/194
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182; A24F 47/008
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D142,840	S		11/1945	Cutrow
D143,295	S		12/1945	Fisher
D157,483	S		2/1950	Franklin
D188,507	S		8/1960	Smith
D206,898	S		2/1967	Ensign
D224,760	S	*	9/1972	Chernack D27/170
D281,281	S		11/1985	Matalon
D292,437	S		10/1987	Wind, III
D323,292	S		1/1992	Jones
5,388,594	A		2/1995	Counts et al.
D356,247	S		3/1995	Manoukian
D371,633	S		7/1996	Chenard
D374,817	S		10/1996	Bertolini et al.
D397,500	S	*	8/1998	Cohen Harel D27/157
D403,590	S		1/1999	Wong
D488,585	S	*	4/2004	Lin D27/157
D498,020	S	*	11/2004	Wong D27/157
D514,741	S		2/2006	Cohen Harel
D527,139	S	*	8/2006	Deahl D27/129
D527,140	S		8/2006	Harel
D548,396	S	*	8/2007	Chen D27/157
D570,772	S		6/2008	Mahaffey et al.
D578,251	S		10/2008	Bertuzzi et al.
D585,367	S		1/2009	Dunbar et al.
D596,787	S	*	7/2009	Hearn D27/189
D599,738	S		9/2009	Amidei et al.
D613,903	S		4/2010	Wu et al.
D621,999	S	*	8/2010	Wein D27/139
D624,694	S		9/2010	Zande
D624,695	S	*	9/2010	Cohen Harel D27/157
D625,611	S		10/2010	Higuchi et al.
D639,736	S		6/2011	Su
D642,929	S		8/2011	Mansau
D643,294	S		8/2011	Thorpe et al.
D646,574	S		10/2011	Bore
D649,708	S		11/2011	Oneil
D652,381	S		1/2012	Tien
D656,094	S		3/2012	Wu
D669,029	S		10/2012	Huang
D671,677	S		11/2012	Wu
D676,380	S		2/2013	Sun
D677,000	S		2/2013	Liu
D677,001	S		2/2013	Liu
D681,268	S		4/2013	Wu
D681,269	S		4/2013	Wu
D683,898	S		6/2013	Liu
D683,899	S		6/2013	Liu
D686,150	S		7/2013	Lee et al.
D688,418	S		8/2013	Liu



D692,613	S	*	10/2013	Morreale	D27/170
D693,055	S	*	11/2013	Manca	D27/189
D696,455	S	*	12/2013	Abroff	D27/101
D699,391	S	*	2/2014	Abroff	D27/101
D700,397	S	*	2/2014	Manca	D27/189
D700,738	S		3/2014	Rennick et al.	
D700,739	S		3/2014	Manca et al.	
D736,995	S	*	8/2015	Recio	D27/141
D758,656	S	*	6/2016	Freshwater	D27/163
2005/0092625	A1		5/2005	Brizzi et al.	
2010/0163063	A1		7/2010	Fernando et al.	
2010/0313901	A1		12/2010	Fernando et al.	

FOREIGN PATENT DOCUMENTS

AU	344889	10/2012
AU	348538 S	5/2013
AU	348539 S	5/2013
AU	348540 S	5/2013
AU	348541 S	5/2013
CA	146843	3/2014
CN	302308165	1/2013
EM	001314090-0001	2/2012
EM	001348544-0001	10/2012
EM	001349062-0001	10/2012
EM	001349062-0003	10/2012
EM	001349633-0001	11/2012
EP	1536703	9/2006
JP	D1486025	12/2013
RU	00085526	6/2013
VN	3-2012-01099	11/2012
WO	WO2008113420	9/2008
WO	WO2009079641	6/2009

OTHER PUBLICATIONS

Japanese Design Application No. JP1486025S, Published Dec. 9, 2013, Japanese Patent Office, [Online] [Accessed Jun. 30, 2016],<URL:https://www4.j-platpat.inpit.go.jp/cgi-bin/tran_web_cgi_ejje?u=http://www4.j-platpat.inpit.go.jp/eng/translation/2016070109003594982861046533288407A15B44A6CC5BAC000010781BCD961B7>.*
Examination Report issued Jan. 30, 2016 in Canadian Patent Application No. 161616.
Official Report issued Aug. 13, 2015 in Australian Registration No. 362415.
"3 Ways Philip Morris International Stock Could Set New Highs" http://www.ecigarfan.com/2014/12/02/3-ways-philip-morris-international-stock-could-set-new-highs/, Oct. 13, 2015, 2 Pages.
"Philip Morris Int'l to sell Marlboro heat sticks" YouTube, https://www.youtube.com/watch?v=L5ne2o-mESU, Oct. 13, 2015, 2 Pages.
"Now it's the Marlboro HeatStick: Cigarette maker Philip Morris to sell new product that heats tobacco rather than burning it" Mail Online, http://www.dailymail.co.uk/news/article-2671505/Philip-Morris-Intl-sell-Marlboro-HeatSticks.html, Oct. 13, 2015, 2 Pages.
U.S. Appl. No. 29/453,120, filed Apr. 25, 2013, Rennick.
U.S. Appl. No. 29/453,131, filed Apr. 25, 2013, Rennick.
English translation of Notification for the Opinion of Examination for Design Application in Taiwan No. 102302688, issued on Sep. 27, 2013 (2 pages).
English translation of Search Report for Design Application in Taiwan No. 102302688, issued on Sep. 25, 2013, and citing prior art document U.S. Pat. No. D 578,251 (1 page).
Partial English translation of Reason for Rejection contained in Office Action for Design Application in Japan No. 2013-008502 and original Office Action (in Japanese), 3 pp., citing JP1486025 therein. JP2013-008502 corresponds to Design U.S. Appl. No. 29/452,905; and JP1486025 corresponds to Design U.S. Appl. No. 29/429,405.
Partial English translation of Reason for Rejection contained in Office Action for Design Application in Japan No. 2013-008503 and original Office Action (in Japanese), 3 pp., citing JP1486025 therein. JP2013-008503 corresponds to Design U.S. Appl. No. 29/453,131; and JP1486025 corresponds to Design U.S. Appl. No. 29/429,405.
Partial English translation of Reason for Rejection contained in Office Action for Design Application in Japan No. 2013-008504 and original Office Action (in Japanese), 3 pp., citing JP1486025 therein. JP2013-008504 corresponds to Design U.S. Appl. No. 29/453,120; and JP1486025 corresponds to Design U.S. Appl. No. 29/429,405.
Partial English translation of Reason for Rejection contained in Office Action for Design Application in Japan No. 2013-008505 and original Office Action (in Japanese), 3 pp., citing JP1486025 therein. JP2013-008505 corresponds to Design U.S. Appl. No. 29/453,128; and JP1486025 corresponds to Design U.S. Appl. No. 29/429,405.
English translation of Notification for the Opinion of Examination, mailed Jun. 25, 2013 in Taiwan Appl. No. 101304688, 3 pp.
Office Action issued Nov. 18, 2015 in Russian Patent Application No. 2015500885/49 (with English language translation).
Office Action issued Oct. 7, 2016 in Vietnamese Design Application No. 3-2015-00490 (submitting English translation only).

* cited by examiner

Primary Examiner — Rosemary K Tarcza
Assistant Examiner — Nathaniel D. Buckner
(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a charging unit, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of the front, top, and right side of a charging unit, in a closed position, according to our new design;
FIG. **2** is a right side elevational view thereof;
FIG. **3** is a left side elevational view thereof;
FIG. **4** is a rear elevational view thereof;
FIG. **5** is a front elevational view thereof;
FIG. **6** is a top plan view thereof;
FIG. **7** is a bottom plan view thereof;
FIG. **8** is a perspective view of the front, top, and right side of the charging unit, in an open position, according to our new design;
FIG. **9** is a right side elevational view thereof;
FIG. **10** is a left side elevational view thereof;
FIG. **11** is a rear elevational view thereof;
FIG. **12** is a front elevational view thereof;
FIG. **13** is a top plan view thereof; and,
FIG. **14** is a bottom plan view thereof.
The broken lines in the figures represent portions of the article which form no part of the claim.

1 Claim, 12 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14