

US00D790489S

(12) **United States Design Patent**
Toyomura et al.

(10) **Patent No.: US D790,489 S**

(45) **Date of Patent: ** Jun. 27, 2017**

(54) **VACUUM CONTACT PAD**

(71) Applicant: **EBARA CORPORATION**, Tokyo (JP)

(72) Inventors: **Naoki Toyomura**, Tokyo (JP); **Mitsuru Miyazaki**, Tokyo (JP)

(73) Assignee: **EBARA CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/550,861**

(22) Filed: **Jan. 7, 2016**

(30) **Foreign Application Priority Data**

Jul. 8, 2015	(JP)	2015-015207
Jul. 8, 2015	(JP)	2015-015208
Aug. 20, 2015	(JP)	2015-018266
Aug. 20, 2015	(JP)	2015-018267

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/120, 121, 133, 162, 179, 180, 182;
D14/130, 486; D26/1; D15/144.2
CPC H05K 1/111-1/114
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D246,026 S	*	10/1977	Stahel	D7/388
D322,011 S	*	12/1991	Asner	D7/501
D397,275 S	*	8/1998	DuBay, Sr.	D7/667
D411,516 S	*	6/1999	Imafuku	D13/182
D494,552 S	*	8/2004	Tezuka	D13/182
D496,008 S	*	9/2004	Takahashi	D13/182
D548,705 S	*	8/2007	Hayashi	D13/182

(Continued)

FOREIGN PATENT DOCUMENTS

JP	1362649 S	5/2009
JP	1362650 S	5/2009

(Continued)

OTHER PUBLICATIONS

Mirka Abranet Pads and Protectors. [online] Published date unknown. Retrieved on Oct. 11, 2016 from <URL: <http://www.supergrit.com/MirkaCeros>>.*

(Continued)

Primary Examiner — Vy Koenig

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**



The ornamental design for a vacuum contact pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the first embodiment of a vacuum contact pad, showing our new design; FIG. 2 is a top view thereof; the bottom view being identical; FIG. 3 is a front view thereof; the rear, right and left views being identical; FIG. 4 is an enlarged view of the area labeled 4 in FIG. 3 thereof; FIG. 5 is a top perspective view of the second embodiment of a vacuum contact pad, showing our new design; FIG. 6 is a top view thereof; the bottom view being identical; FIG. 7 is a front view thereof; the rear, right and left views being identical; and, FIG. 8 is an enlarged view of the area labeled 8 in FIG. 7 thereof.

The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D552,565	S	*	10/2007	Nakamura	D13/182
D553,104	S	*	10/2007	Oohashi	D13/182
D609,655	S	*	2/2010	Sugimoto	D13/182
D616,389	S		5/2010	Takahashi		
D633,347	S	*	3/2011	Boris	D7/667
D634,585	S	*	3/2011	Vaehsen	D7/554.2
D641,216	S	*	7/2011	Chen	D7/667
D649,126	S		11/2011	Takahashi		
D650,344	S		12/2011	Takahashi		
D686,582	S	*	7/2013	Krishnan	D13/182
D708,916	S	*	7/2014	Lee	D7/667
D716,742	S	*	11/2014	Jang	D13/182
D723,077	S	*	2/2015	Sakata	D13/182
D731,448	S		6/2015	Kinoshita et al.		
D736,993	S	*	8/2015	Wang	D26/124
2004/0179323	A1	*	9/2004	Litman	H01L 21/6831 361/234
2004/0218339	A1	*	11/2004	Nakamura	H01L 21/67109 361/234

FOREIGN PATENT DOCUMENTS

JP		1362932	S	5/2009
JP		1504627	S	7/2014
JP		1505947	S	7/2014

OTHER PUBLICATIONS

U.S. Appl. No. 29/334,787, filed Apr. 2009, U.S.A., Takahashi Tamami.*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8

