



US00D790685S

(12) **United States Design Patent**  
**Silkaitis et al.**

(10) **Patent No.:** **US D790,685 S**

(45) **Date of Patent:** **\*\* Jun. 27, 2017**

(54) **BREATH CAPTURE AND SAMPLE DEVICE**

(71) Applicants: **Danius Silkaitis**, Seattle, WA (US);  
**Janis P. Skujins**, Minneapolis, MN  
(US); **Micah T. Somers**, Minneapolis,  
MN (US); **Caleb O. Vainikka**,  
Corcoran, MN (US); **Brett R. Johnson**,  
Roseville, MN (US)

(72) Inventors: **Danius Silkaitis**, Seattle, WA (US);  
**Janis P. Skujins**, Minneapolis, MN  
(US); **Micah T. Somers**, Minneapolis,  
MN (US); **Caleb O. Vainikka**,  
Corcoran, MN (US); **Brett R. Johnson**,  
Roseville, MN (US)

(73) Assignee: **GM NAMEPLATE, INC.**, Seattle, WA  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/550,473**

(22) Filed: **Jan. 4, 2016**

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D24/110.5**

(58) **Field of Classification Search**  
USPC ..... D24/110.5, 164

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D548,332 S \* 8/2007 Hitchcock ..... D24/110.1  
D765,831 S \* 9/2016 Li ..... D24/110

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Christensen O'Connor  
Johnson; Matthew Balint; John Denkenberger

(57) **CLAIM**

The ornamental design for a breath capture and sample device, as shown and described.

**DESCRIPTION**

FIG. 1 shows a front top isometric view of a breath capture and sample device according to a first embodiment of our new design;

FIG. 2 is a bottom rear isometric view of the breath capture and sample device shown in FIG. 1;

FIG. 3 shows a front view of the breath capture and sample device shown in FIG. 1;

FIG. 4 shows a rear view of the breath capture and sample device shown in FIG. 1;

FIG. 5 shows a top view of the breath capture and sample device shown in FIG. 1;

FIG. 6 shows a bottom view of the breath capture and sample device shown in FIG. 1;

FIG. 7 shows a right side view of the breath capture and sample device shown in FIG. 1;

FIG. 8 shows a left side view of the breath capture and sample device shown in FIG. 1;

FIG. 9 shows a front top isometric view of a breath capture and sample device according to a second embodiment of our new design;

FIG. 10 is a bottom rear isometric view of the breath capture and sample device shown in FIG. 9;

FIG. 11 shows a front view of the breath capture and sample device shown in FIG. 9;

FIG. 12 shows a rear view of the breath capture and sample device shown in FIG. 9;

FIG. 13 shows a top view of the breath capture and sample device shown in FIG. 9;



FIG. 14 shows a bottom view of the breath capture and sample device shown in FIG. 9;

FIG. 15 shows a right side view of the breath capture and sample device shown in FIG. 9; and,

FIG. 16 shows a left side view of the breath capture and sample device shown in FIG. 9.

The subject matter shown in phantom lines is hereby disclaimed and forms no part of the claimed invention.


**1 Claim, 14 Drawing Sheets**



(58) **Field of Classification Search**


CPC ..... A61B 5/0836; A61B 5/097; A61B 5/682;  
A61M 16/00


See application file for complete search history.




*Fig. 1.*

*Fig. 2.*







*Fig. 3.*



*Fig. 4.*




*Fig. 5.*




*Fig. 6.*







*Fig. 8.*




*Fig. 7.*




*Fig. 9.*




*Fig. 10.*




*Fig. 11.*




*Fig. 12.*




*Fig. 13.*



*Fig. 14.*



*Fig. 16.*



*Fig. 15.*