



US00D790962S

(12) **United States Design Patent** (10) **Patent No.:** **US D790,962 S**
Schumaier et al. (45) **Date of Patent:** **** Jul. 4, 2017**

(54) **DESICCANT PACKAGE**

(71) Applicant: **Ear Technology Corporation**, Johnson City, TN (US)

(72) Inventors: **Daniel R. Schumaier**, Elizabethton, TN (US); **Joseph S. Riner**, Johnson City, TN (US); **James L. Adkins**, Johnson City, TN (US)

(73) Assignee: **EAR TECHNOLOGY CORPORATION**, Johnson City, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/550,533**

(22) Filed: **Jan. 5, 2016**

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/416; D9/425**

(58) **Field of Classification Search**
USPC D9/414, 416, 424, 425, 431, 432;
D3/201, 304, 315; D7/601, 629, 631,
D7/632

CPC . B29C 65/00; B29C 66/53461; B65D 1/0223;
B65D 79/005; B65D 2543/00296; B65D
1/40; B65D 51/20; B65D 2517/0013;
B65D 2543/00194; B65D 77/2032; B65D
17/165; B65D 2543/00425; B65D 1/0207;
B65D 77/2096; B65D 2519/00034; B65D
2519/00069; B65D 2519/00174; B65D
75/5838; B65D 17/163; B65D 1/20;
B65D 1/36; B65D 83/38; B65D
2543/00648; B65D 1/14; B65D
2543/00759; B65D 19/04; B65D 11/20;
B65D 2543/00101; B65D 43/02; B65D
77/30; B65D 2519/00208; B65D
2501/24019; B65D 2519/00711; B65D
51/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D219,134 S * 11/1970 Hartman D9/425
6,691,886 B1 * 2/2004 Berndt B29C 65/56
220/315
D510,263 S * 10/2005 Isono D9/416
D531,798 S * 11/2006 Ringo D3/273
D564,349 S * 3/2008 Schumaier D9/425
D695,603 S * 12/2013 De Pra D9/416
D764,906 S * 8/2016 Lee D9/425
2001/0008240 A1 * 7/2001 Herrin B32B 27/36
220/359.2

(Continued)

Primary Examiner — Derrick Holland

Assistant Examiner — Lauren Calve

(74) *Attorney, Agent, or Firm* — Luedeka Neely Group
PC


(57) **CLAIM**

The ornamental design for a desiccant package, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a desiccant package; FIG. 2 is a top perspective view of the desiccant package; FIG. 3 is a front side elevation view of the desiccant package; FIG. 4 is a rear side elevation view of the desiccant package; FIG. 5 is a right side elevation view of the desiccant package; FIG. 6 is a left side elevation view of the desiccant package; FIG. 7 is a top plan view of the desiccant package; FIG. 8 is a top plan view of the desiccant package with the lid removed; and, FIG. 9 is a bottom plan view of the desiccant package. The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2005/0000965 A1* 1/2005 Boardman B65D 65/466
220/359.1
2012/0125932 A1* 5/2012 Sierra-Gomez B65D 75/5838
220/255.1
2016/0068312 A1* 3/2016 Kaneko B65D 43/02
220/359.3

* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9