



US00D791073S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.:** **US D791,073 S**
(45) **Date of Patent:** **** Jul. 4, 2017**

(54) **ELECTRIC VEHICLE CHARGING STATION**

(71) Applicant: **FARADAY & FUTURE INC.**,
Gardena, CA (US)

(72) Inventors: **Richard S. Kim**, Los Angeles, CA
(US); **Mike de Jung**, Marina Del Ray,
CA (US); **Chi Hung Cao**, Huntington
Beach, CA (US)

(73) Assignee: **FARADAY & FUTURE INC.**,
Gardena, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/561,702**

(22) Filed: **Apr. 19, 2016**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102–110, 118–119, 184, 199;
D14/251, 253, 356, 432, 434; D34/6
CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H02J 2001/008; H02J 3/32;
H02J 3/008; H02J 7/0027; H02J 7/0013;
H02J 7/0054; H02J 7/00; H01F 38/14;
H01R 13/6675; H01M 2/1022; H01M
2/1055; H01M 10/44; H01M 10/46;
H01M 10/425; B60L 11/182; B60L
11/1809; B60L 11/1861; B60R 16/03
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D429,864 S * 8/2000 Schmidt D34/6
D453,017 S * 1/2002 Gledhill D14/253
D496,529 S * 9/2004 Gotou D3/218

D568,327 S * 5/2008 Fitch D14/434
D618,168 S * 6/2010 Baxter D13/107
D664,089 S * 7/2012 Chin-Ho Kim D13/107
D698,309 S * 1/2014 Moribe D13/107
D729,158 S * 5/2015 Gilomen D13/107
D749,503 S * 2/2016 Ferguson D13/107
D777,101 S * 1/2017 Shimada D13/107
2013/0207606 A1* 8/2013 Ranga B60L 11/1825
320/109
2014/0055083 A1* 2/2014 Moribe H02J 7/0042
320/107
2016/0129839 A1* 5/2016 Kim H04N 5/2254
348/148

* cited by examiner

Primary Examiner — Rosemary K Tarcaza

Assistant Examiner — Alison Ofstun

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson
& Bear LLP

(57) **CLAIM**

The ornamental design for an electric vehicle charging station, as shown and described.

DESCRIPTION

FIG. 1 is front perspective view of the electric vehicle charging station.

FIG. 2 is a front view of the electric vehicle charging station of FIG. 1.

FIG. 3 is a rear view of the electric vehicle charging station of FIG. 1.

FIG. 4 is a right side view of the electric vehicle charging station of FIG. 1.


FIG. 5 is a left side view of the electric vehicle charging station of FIG. 1.

FIG. 6 is a top view of the electric vehicle charging station of FIG. 1; and,

FIG. 7 is a bottom view of the electric vehicle charging station of FIG. 1.

The broken lines in the figures represent environmental subject matter which forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7