



US00D791582S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,582 S**
Nelson et al. (45) **Date of Patent:** **** Jul. 11, 2017**

(54) **CLIP FOR SECURING STRING OR ROPE**

(71) Applicant: **Encore Packaging LLC**, Lake Bluff,
IL (US)

(72) Inventors: **Timothy H. Nelson**, Winnetka, IL
(US); **Stephenson Nelson**, Winnetka, IL
(US)

(73) Assignee: **Encore Packaging LLC**, Lake Bluff,
IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,608**

(22) Filed: **Mar. 30, 2016**

Related U.S. Application Data

(60) Continuation-in-part of application No. 29/528,884,
filed on Jun. 2, 2015, now Pat. No. Des. 753,985,
which is a division of application No. 29/503,350,
filed on Sep. 25, 2014, now Pat. No. Des. 731,296.

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**

USPC ... D8/71, 349, 354, 356, 382, 383, 394, 499
CPC F16G 11/00; F16G 11/02; F16G 11/103;
F16G 11/046; F16G 11/048; F16G
11/105; Y10T 24/39; Y10T 24/3971;
Y10T 24/3713; Y10T 24/44222

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

423,312 A 3/1890 Clark
479,509 A * 7/1892 Heaphy F16G 11/10
24/129 A
1,583,343 A * 5/1926 Duerden F16G 11/14
24/129 R

1,666,623 A 4/1928 Hoover
2,229,935 A * 1/1941 Powers E04H 15/322
24/129 B
D258,044 S * 1/1981 Kimball D8/356
4,355,444 A * 10/1982 Haney F16G 11/143
24/129 B
D275,262 S * 8/1984 Kimball D8/356
D289,373 S * 4/1987 Kimball 24/130
4,957,232 A 9/1990 Sprague
D311,487 S 10/1990 Platt
5,232,193 A * 8/1993 Skakoon A61M 5/1418
24/130

(Continued)

Primary Examiner — Sandra Snapp

Assistant Examiner — Ieisha Price

(74) *Attorney, Agent, or Firm* — Fitch, Even, Tabin &
Flannery LLP

(57) **CLAIM**

I claim the ornamental design for a clip for securing string
or rope, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a clip for securing string
or rope;

FIG. 2 is a rear perspective view of the clip for securing
string or rope of FIG. 1;

FIG. 3 is a rear view of the clip for securing string or rope
of FIG. 1;

FIG. 4 is a front view of the clip for securing string or rope
of FIG. 1;


FIG. 5 is a right side view of the clip for securing string or
rope of FIG. 1;

FIG. 6 is a left side view of the clip for securing string or
rope of FIG. 1;

FIG. 7 is a top plan view of the clip for securing string or
rope of FIG. 1; and,

FIG. 8 is a bottom plan view of the clip for securing string
or rope of FIG. 1.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

5,234,185	A	8/1993	Hoffman	
D353,990	S	1/1995	Alfreds	
D390,447	S	2/1998	Colen, Jr.	
6,012,940	A *	1/2000	Wheeler	 H01R 13/6392 439/369
6,092,444	A	7/2000	Hsiao	
D448,656	S *	10/2001	Kalat	 D8/382
6,571,854	B1 *	6/2003	Palmer	 E06B 9/324 160/173 R
D494,450	S	8/2004	Schultz	
6,813,981	B2	11/2004	Urban	
7,195,511	B1 *	3/2007	Ornt	 H01R 13/5833 439/369
D587,988	S *	3/2009	Johansson	 D8/356
D613,137	S	4/2010	Wieberdink	
D624,378	S	9/2010	Wysopal	
D627,632	S	11/2010	Elmer	
D660,740	S	5/2012	Cullen	
D662,087	S	6/2012	Peller	
D675,123	S	1/2013	Nunez	
D684,845	S	6/2013	Wood	
8,615,849	B2	12/2013	Rothbaum	
D702,109	S	4/2014	Weinberg	
D753,985	S	4/2016	Nelson	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8