



US00D791591S

(12) **United States Design Patent**
Berge

(10) **Patent No.:** **US D791,591 S**

(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **CLOSURE**

(71) Applicant: **Silgan White Cap LLC**, Downers Grove, IL (US)

(72) Inventor: **Gary Berge**, Crystal Lake, IL (US)

(73) Assignee: **Silgan White Cap LLC**, Downers Grove, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/564,416**

(22) Filed: **May 12, 2016**

Related U.S. Application Data

(62) Division of application No. 29/507,935, filed on Oct. 31, 2014, now Pat. No. Des. 760,081.

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/452**

(58) **Field of Classification Search**
USPC D3/318; D7/396.2, 398; D9/434, 435, D9/436, 438, 440, 443, 444, 445, 447, D9/449, 452, 453, 454, 499, 530, 719, D9/722, 753
CPC B65D 41/34; B65D 41/3438; B65D 41/0471; B65D 47/122; B65D 47/12; B65D 41/3419

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D27,782 S	*	10/1897	Dickinson	D18/15
D93,704 S	*	10/1934	Conner	D9/454
D99,274 S	*	4/1936	Fleisch	D9/453
2,148,864 A		2/1939	Kistner		
D163,108 S	*	5/1951	Flynn	D3/294

(Continued)

FOREIGN PATENT DOCUMENTS

DE		296 09 596 U1	10/1996
JP		10-181758 A	7/1998

(Continued)

OTHER PUBLICATIONS

Silgan White Cap, Secure-Spout—9mm Spout with Fitment Brochure, believed to be publically available on Jun. 11, 2014 2014 and representative of closure and spout believed to be publically available on Jun. 11, 2014, 3 pages.

International Search Report and Written Opinion for PCT/US2015/056238, mailed Dec. 30, 2015, 11 pages.

U.S. Appl. No. 29/472,406, filed Nov. 12, 2013, Taber et al.

U.S. Appl. No. 29/482,293, filed Feb. 17, 2014, Gary Berge et al.

Images of Spouts and Closures, document believed to be publicly available at least by Aug. 2012, 1 page.

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — Reinhart Boerner Van Deuren S.C.

(57) **CLAIM**

I claim the ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a closure showing the claimed design;

FIG. 2 is a front view of the claimed design of FIG. 1;

FIG. 3 is a right side view of the claimed design of FIG. 1;

FIG. 4 is a rear view of the claimed design of FIG. 1;

FIG. 5 is a left side view of the claimed design of FIG. 1;

FIG. 6 is a top view of the claimed design of FIG. 1;



FIG. 7 is a bottom view of the claimed design of FIG. 1; and,

FIG. 8 is a bottom perspective view of the claimed design of FIG. 1.

The ornamental design which is claimed is shown in solid lines in the drawings.

In the drawings, the broken lines showing portions of a closure depict environment and form no part of the claim.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D164,422 S * 9/1951 Holden D23/213
 D190,204 S 4/1961 Muller
 3,463,341 A 8/1969 Fileds
 D218,961 S 10/1970 Kennedy
 D230,556 S * 3/1974 Mallonn D7/391
 4,305,516 A 12/1981 Perne
 D272,324 S * 1/1984 Mumford D9/452
 D273,368 S 4/1984 Hayes
 4,503,986 A 3/1985 Nixdorff et al.
 4,505,401 A 3/1985 Berglund
 D278,311 S 4/1985 Brown et al.
 4,573,601 A 3/1986 Berglund
 4,653,657 A 3/1987 Papavasiliopoulos
 4,805,791 A 2/1989 Begley
 4,852,751 A 8/1989 Halfacre
 D308,828 S 6/1990 Magnusson
 D311,948 S * 11/1990 Mikol D23/213
 D313,833 S * 1/1991 Presman D23/213
 5,040,692 A 8/1991 Julian
 5,295,600 A 3/1994 Kowal
 D356,871 S * 3/1995 Dunn D24/197
 D359,683 S 6/1995 Beach
 D361,265 S 8/1995 Doxey
 D388,468 S * 12/1997 Rife D20/42
 D394,184 S * 5/1998 Demore D7/391
 5,823,383 A 10/1998 Hins
 5,853,095 A 12/1998 Marshall et al.
 5,927,549 A 7/1999 Wood
 D413,269 S * 8/1999 Hebert D9/452
 D422,217 S * 4/2000 Gundlach D9/452
 D422,916 S 4/2000 Herrmann
 D442,780 S * 5/2001 Hiernard D3/294
 D445,678 S 7/2001 Malmborg
 6,330,959 B1 12/2001 Dark
 D454,066 S 3/2002 Trabal
 D460,357 S 7/2002 Kras et al.
 D463,281 S * 9/2002 Druitt D9/452
 D464,263 S 10/2002 White et al.
 D465,730 S * 11/2002 Druitt D9/452
 D467,501 S 12/2002 Tacchella
 6,557,714 B2 5/2003 Babcock et al.
 D476,565 S 7/2003 Rosén
 6,612,466 B1 9/2003 Malin
 D489,978 S 5/2004 Brown
 6,783,014 B2 8/2004 Luker
 6,811,047 B1 11/2004 Hicks et al.
 6,860,406 B2 3/2005 Kobetsky et al.
 6,958,033 B1 10/2005 Malin
 D531,030 S 10/2006 Nukuto et al.
 D538,464 S * 3/2007 Chen D27/148
 D542,654 S 5/2007 Szczesniak
 D542,655 S 5/2007 Szczesniak
 D542,656 S 5/2007 Szczesniak
 D544,348 S 6/2007 Szczesniak
 D545,677 S * 7/2007 Mavin D9/452
 D547,657 S 7/2007 Tacchella
 D551,975 S 10/2007 Gomoll et al.
 D552,483 S 10/2007 Rigardo
 D562,134 S * 2/2008 Studee D9/452
 D562,135 S * 2/2008 Studee D9/452
 D564,884 S * 3/2008 Rittman D9/452
 D566,565 S * 4/2008 Rittman D9/452
 D568,740 S 5/2008 Williams
 D572,585 S 7/2008 Perrin et al.
 D574,241 S 8/2008 Braukmann et al.
 D579,332 S 10/2008 Krivoshein
 D585,276 S 1/2009 Hsu
 D591,152 S * 4/2009 Hatalla D9/447
 D600,973 S 9/2009 Lane
 7,677,422 B2 3/2010 Lee
 D616,743 S 6/2010 Cresswell et al.
 D616,744 S 6/2010 Cresswell et al.
 D617,187 S 6/2010 Murray
 7,735,666 B2 6/2010 Niwa et al.
 7,753,233 B2 7/2010 Umenaka

D620,798 S 8/2010 Cresswell et al.
 D621,257 S 8/2010 Gullickson et al.
 D621,258 S 8/2010 Gullickson et al.
 D631,349 S * 1/2011 Arnell D9/452
 7,882,977 B2 2/2011 Johnson
 D633,386 S 3/2011 Taber et al.
 D634,199 S 3/2011 Taber et al.
 D634,200 S 3/2011 Taber et al.
 8,105,226 B2 1/2012 Wada
 D661,185 S 6/2012 Battat
 8,231,020 B2 7/2012 Taber et al.
 8,231,025 B2 7/2012 Johnson
 D670,343 S * 11/2012 Byford D20/43
 D672,238 S 12/2012 Aziz et al.
 D672,241 S 12/2012 Sawicki et al.
 D673,050 S 12/2012 Pennington, IV et al.
 D679,185 S * 4/2013 Brown D9/452
 D679,597 S 4/2013 Tamarindo
 D682,688 S 5/2013 Murray
 8,443,999 B1 5/2013 Reinders
 D684,055 S 6/2013 Kwon
 D684,056 S 6/2013 Kwon
 D684,057 S 6/2013 Kwon
 D684,058 S 6/2013 Kwon
 D686,495 S 7/2013 Murray
 8,528,757 B2 9/2013 Bisio
 D693,220 S * 11/2013 Luo B65D 55/00
 D9/439
 8,616,394 B2 12/2013 Kim
 D705,061 S 5/2014 Jo et al.
 D710,772 S 8/2014 Maiorana et al.
 8,807,361 B2 8/2014 Luo
 D712,152 S * 9/2014 Tong D3/318
 D712,266 S 9/2014 Romer et al.
 D712,743 S 9/2014 Neputy et al.
 D712,744 S 9/2014 Neputy et al.
 D715,360 S * 10/2014 Turner D20/43
 D717,872 S * 11/2014 Byford D20/43
 8,950,939 B2 2/2015 Last et al.
 D729,318 S * 5/2015 Maman D20/42
 D734,670 S * 7/2015 Griffis D9/452
 D735,578 S 8/2015 Mazurkiewicz et al.
 D747,136 S 1/2016 Lane et al.
 D747,918 S 1/2016 Herbst et al.
 9,309,032 B2 * 4/2016 Berge B65D 41/3438
 D756,777 S * 5/2016 Berge D9/453
 D773,189 S * 12/2016 Reinhart D3/318
 D778,366 S * 2/2017 Kott D20/43
 2004/0200797 A1 10/2004 Hicks et al.
 2004/0245286 A1 12/2004 Lee
 2005/0011911 A1 1/2005 Vaughan
 2005/0040181 A1 2/2005 Kurosawa et al.
 2005/0139607 A1 6/2005 Kobetsky et al.
 2005/0205438 A1 9/2005 Hierzer et al.
 2008/0124432 A1 5/2008 Ma
 2008/0135513 A1 6/2008 Umenaka
 2009/0223963 A1 9/2009 Bisio
 2010/0213213 A1 8/2010 Albers et al.
 2011/0210122 A1 9/2011 Benoit-Gonin et al.
 2012/0211460 A1 8/2012 Tamarindo
 2012/0325769 A1 12/2012 Essebaggers et al.
 2013/0270270 A1 10/2013 Reinders
 2014/0010481 A1 1/2014 Last et al.
 2014/0048536 A1 2/2014 Bisio
 2014/0263475 A1 9/2014 Totten
 2015/0129533 A1 5/2015 Taber et al.
 2015/0232237 A1 8/2015 Berge et al.
 2016/0122095 A1 * 5/2016 Berge B65D 47/12
 222/92

FOREIGN PATENT DOCUMENTS

JP 10-258850 9/1998
 JP 2002-104447 A 4/2002
 JP 2011/246128 12/2011
 JP 2014-019447 2/2014
 KR 2002-0024043 3/2002

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO WO 2008/050361 A1 6/2004
WO WO 2004/045977 A1 5/2008
WO US2015/056238 10/2015

OTHER PUBLICATIONS

Gualapack System, Image of Spouts and Caps, dated Apr. 1, 2013, at <http://www.gualapack.com/img/pagine/prodotti/tappi/1.jpg>, believed to be publicly available from Gualapack System at least by Aug. 2012, 1 page.

Gualapack System, Image of first stacked caps, dated Apr. 1, 2013, at <http://www.gualapack.com/img/pagine/prodotti/innovazione/1.jpg>, believed to be publicly available from Gualapack System at least by Aug. 2012, 1 page.

Gualapack System, Image of second stack caps, dated Apr. 1, 2013, at <http://www.gualapack.com/img/pagine/prodotti/innovazione/2.jpg>, believed to be publicly available from Gualapack System at least by Aug. 2012, 1 page.

Gualapack System, Image of third stacked caps, dated Apr. 1, 2013, at <http://www.gualapack.com/img/pagine/prodotti/innovazione/3.jpg>, believed to be publicly available from Gualapack System at least by Aug. 2012, 1 page.

Flexible Packaging. Silgan White Cap to Introduce Secure-Spout Pouch Technology at Global Pouch Forum. Jun. 1, 2014 [online], [site visited Nov. 18, 2015]. Available from Internet, <URL:<http://www.flexpackmag.com/keywords/4416-silgan-white-cap>>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8