



US00D791622S

(12) **United States Design Patent**
Chang et al.

(10) **Patent No.:** **US D791,622 S**
(45) **Date of Patent:** **** Jul. 11, 2017**

- (54) **SENSOR**
- (71) Applicant: **DELTA ELECTRONICS, INC.,**
Taoyuan (TW)
- (72) Inventors: **Chih-Hsiang Chang**, Taoyuan (TW);
Yuan-Ping Hsieh, Taoyuan (TW);
Tung-Hung Shih, Taoyuan (TW);
Chao-Hsien Chan, Taoyuan (TW);
Pin-Chen Lai, Taoyuan (TW);
Chen-Yu Hung, Taoyuan (TW);
Hung-Chung Hsieh, Taoyuan (TW)
- (73) Assignee: **DELTA ELECTRONICS, INC.,**
Taoyuan (TW)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/553,258**
- (22) Filed: **Jan. 29, 2016**
- (51) **LOC (10) Cl.** **10-05**
- (52) **U.S. Cl.**
USPC **D10/46**
- (58) **Field of Classification Search**
USPC D10/18, 21, 24, 25, 28, 46, 104.1, 106,
D10/106.5, 113, 114, 116.1; D13/102,
D13/103, 107, 108, 179, 180; D17/99;
D26/2, 28, 60, 72, 89, 104, 113, 118,
D26/119, 120, 122, 124, 128, 138, 142,
D26/143, 145
CPC H04W 4/021
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

- D334,347 S * 3/1993 White D10/15
- D606,628 S * 12/2009 Jeong D23/233
- D634,055 S * 3/2011 Hokazono D26/89
- D639,496 S * 6/2011 Wada D26/120

- D641,098 S * 7/2011 Wildner D26/85
- D668,168 S * 10/2012 Chen D10/114.4
- D702,146 S * 4/2014 Giovanni D10/106.9
- D726,161 S * 4/2015 Howard D14/218
- D729,773 S * 5/2015 Salojarvi D14/218
- D740,692 S * 10/2015 Christie D9/748
- D746,166 S * 12/2015 Li D10/104.1
- D757,010 S * 5/2016 Kang D14/420
- D757,587 S * 5/2016 Li D10/106.6
- D759,286 S * 6/2016 Chen D26/89
- D764,952 S * 8/2016 Virhia D10/46
- D764,953 S * 8/2016 Virhia D10/46
- D769,234 S * 10/2016 Rami D14/253

(Continued)

OTHER PUBLICATIONS

BlueBeacon Mini, posted on blueupbeacons.com, page posted 2014, no production date given, [online], [site visited Mar. 13, 2017], Available from Internet, <URL: <http://www.blueupbeacons.com/index.php?page=mini>>.*

(Continued)

Primary Examiner — Melanie H Tung
Assistant Examiner — Fitzgerald Butac
(74) *Attorney, Agent, or Firm* — Kirton McConkie; Evan R. Witt


(57) **CLAIM**

The ornamental design for a sensor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a sensor showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0048950 A1* 2/2017 Deese H05B 33/0854

OTHER PUBLICATIONS

Bluetooth BLE 4.0 Beacon/iBeacon with Temperature and Humidity Sensor Android and iOS, posted on alibaba.com, no posted date given, no production date given, [online], [site visited Mar. 13, 2017], Available from Internet, <URL: https://www.alibaba.com/product-detail/Bluetooth-BLE-4-0-Beacon-iBeacon_60383026797.html?s=p>.*

Sensoro Yunzi, posted on beaconzone.co.uk, posted Feb. 14, 2017, no production date given, [online], [site visited Mar. 13, 2017], Available from Internet, <URL: <https://www.beaconzone.co.uk/blog/category/sensor-beacons/>>.*

TB Beacon, posted on trackblue.com, posted Nov. 12, 2014, no production date given, [online], [site visited Mar. 13, 2017], available from internet, <URL: <http://www.trackblue.com/tb-beacon/>>.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7