



US00D791684S

(12) **United States Design Patent**
Takei et al.

(10) **Patent No.:** **US D791,684 S**
(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **TREAD OF AN AUTOMOBILE TIRE**

(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

(72) Inventors: **Ataka Takei,** Tokyo (JP); **Shoko Nagamoto,** Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION,**
Chuo-ku, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/536,361**

(22) Filed: **Aug. 17, 2015**

(30) **Foreign Application Priority Data**

Feb. 18, 2015 (JP) 2015-003295

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/532**

(58) **Field of Classification Search**
USPC D12/500-532, 584, 593, 594, 595, 601,
D12/604
CPC B60C 11/0311; B60C 11/0309; B60C
11/0304; B60C 11/03; B60C 11/0327;
B60C 11/0316; B60C 11/042; B60C
11/04; B60C 11/1323; B60C 2011/0344;
B60C 2011/0341; B60C 2011/0339;
B60C 2011/0388; B60C 2011/0386;
B60C 2011/0358; B60C 2011/0351;
B60C 2011/0348; B60C 2011/1231;
B60C 2011/1209

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D432,956 S * 10/2000 Ricquet D12/521
D505,386 S * 5/2005 Maxwell D12/581
D531,112 S * 10/2006 Williams D12/587
D577,655 S * 9/2008 Heinen D12/521

D599,276 S * 9/2009 Fontaine D12/519
D601,939 S * 10/2009 Fontaine D12/519
D609,161 S * 2/2010 Fontaine D12/517
D611,893 S * 3/2010 Iwabuchi D12/601
D634,262 S * 3/2011 Kujime D12/521

(Continued)

FOREIGN PATENT DOCUMENTS

JP D 1334474 S 1/2009

OTHER PUBLICATIONS

Ultimate Guide to Part Worn Tyres, posted at Tyre-Shopper, posting date Dec. 24, 2012. [online], [site visited Dec. 6, 2016]. Available from Internet, <URL: <https://www.tyre-shopper.co.uk/articles/partworn-tyres>>.*

(Continued)

Primary Examiner — Kevin Rudzinski

Assistant Examiner — Kathleen Jones

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a tread of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread of an automobile tire showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a fragmentary enlarged front view showing the details of the tread thereof;
FIG. 7 is a section view taken along line 7-7 in FIG. 6; and,
FIG. 8 is a section view taken along line 8-8 in FIG. 6.
The broken lines in the drawings showing portions of the tire are included to illustrate environment and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D659,075	S *	5/2012	Harvey	D12/521
D660,784	S *	5/2012	Iwabuchi	D12/601
D665,335	S *	8/2012	Baumard	D12/517
D671,065	S *	11/2012	Scheifele	D12/531
D686,971	S *	7/2013	Nakamura	D12/521
D701,164	S *	3/2014	Buresh	D12/523
D701,822	S *	4/2014	Bindner	D12/523
D726,098	S *	4/2015	Sanae	D12/517
D729,724	S *	5/2015	Mathis	D12/523
D744,406	S *	12/2015	Bosch Alsina	D12/521
D756,892	S *	5/2016	Kim	D12/521
2013/0292021	A1 *	11/2013	Tanaka	B60C 11/0306 152/209.22
2017/0015143	A1 *	1/2017	Nagase	B60C 11/0304

OTHER PUBLICATIONS

Sava intensa uhp, posted at Tyre Reviews, review posting date Aug. 25, 2013. [online], [site visited Dec. 1, 2016]. Available from

Internet, <URL: <http://www.tyrereviews.co.uk/Tyre/Sava/intensa-uhp.htm>>.*

Ohtsu Falken 205/50R16 91V FP7000, posted at OzzyTyres, posting date Nov. 28, 2012. [online], [site visited Dec. 1, 2016].

Available from Internet, <URL: <http://www.ozzytyres.com.au/falken-205-50r16-91v-fp7000.html>>.*

Continental—ExtremeContact DW, posted at Carid, review posting date Sep. 6, 2012. [online], [site visited Dec. 1, 2016]. Available

from Internet, <URL: <https://www.carid.com/continental-tires/extremecontact-dw-479135.html#reviews>>.*

Goodyear Eagle F1 Asymmetric 2, posted at Goodyear, posting date not available. [online], [site visited Dec. 1, 2016]. Available from

Internet, <URL: <http://www.1010tires.com/Tires/Reviews/Goodyear/Eagle+F1+Asymmetric+2?px=2>>.*

Design Gazette dated Jun. 6, 2016 from the Japanese Patent Office in counterpart Japanese design application No. D 2015-3295.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

