



US00D791687S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,687 S**  
**Sueyoshi** (45) **Date of Patent:** **\*\* Jul. 11, 2017**

(54) **TIRE FOR AUTOMOBILE**

(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-shi, Hyogo (JP)

(72) Inventor: **Mitsuru Sueyoshi**, Kobe (JP)

(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-Shi, Hyogo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/552,367**

(22) Filed: **Jan. 21, 2016**

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/579**

(58) **Field of Classification Search**  
USPC ..... D12/536, 537, 538, 542, 544, 551, 552, D12/554, 559, 561, 563, 568-603, 604  
CPC ..... B60C 11/0306; B60C 11/0311  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |         |       |         |
|------------|---|---------|---------|-------|---------|
| D301,856 S | * | 6/1989  | Kato    | ..... | D12/579 |
| D337,978 S | * | 8/1993  | Himuro  | ..... | D12/579 |
| D413,287 S | * | 8/1999  | Brown   | ..... | D12/579 |
| D413,288 S | * | 8/1999  | Brown   | ..... | D12/579 |
| D430,832 S | * | 9/2000  | Edwards | ..... | D12/579 |
| D444,742 S | * | 7/2001  | Dunlap  | ..... | D12/579 |
| D487,055 S | * | 2/2004  | Rooney  | ..... | D12/579 |
| D511,738 S | * | 11/2005 | Maxwell | ..... | D12/544 |
| D580,347 S | * | 11/2008 | Lo      | ..... | D12/579 |
| D601,487 S | * | 10/2009 | Ebel    | ..... | D12/579 |
| D624,008 S | * | 9/2010  | Shan    | ..... | D12/579 |

|            |   |         |           |       |         |
|------------|---|---------|-----------|-------|---------|
| D627,709 S | * | 11/2010 | Harvey    | ..... | D12/579 |
| D653,195 S | * | 1/2012  | Sareen    | ..... | D12/579 |
| D671,486 S | * | 11/2012 | Rooney    | ..... | D12/579 |
| D691,943 S | * | 10/2013 | Ma        | ..... | D12/579 |
| D700,130 S | * | 2/2014  | Chen      | ..... | D12/579 |
| D711,814 S | * | 8/2014  | Ohara     | ..... | D12/579 |
| D737,197 S | * | 8/2015  | Wang      | ..... | D12/579 |
| D748,569 S | * | 2/2016  | Sueyoshi  | ..... | D12/579 |
| D750,551 S | * | 3/2016  | Sueyoshi  | ..... | D12/579 |
| D763,781 S | * | 8/2016  | Ashton    | ..... | D12/579 |
| D766,166 S | * | 9/2016  | Uphouse   | ..... | D12/579 |
| D772,790 S | * | 11/2016 | Scheifele | ..... | D12/579 |

**FOREIGN PATENT DOCUMENTS**

|    |             |   |         |
|----|-------------|---|---------|
| JP | 2013-028313 | * | 12/2013 |
| JP | 2014-064406 | * | 3/2014  |
| JP | 2014-185482 | * | 9/2014  |

\* cited by examiner

*Primary Examiner* — Robert M Spear

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a tire for automobile showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof; and,

FIG. 6 is a partial enlarged view of FIG. 2.

The top and bottom views are the same as the front view.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6