



US00D791693S

(12) **United States Design Patent**
Iwabuchi

(10) **Patent No.:** **US D791,693 S**
(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **SIDEWALL PORTION OF AN AUTOMOBILE TIRE**

(71) Applicant: **BRIDGESTONE CORPORATION,**
Tokyo (JP)

(72) Inventor: **Sotaro Iwabuchi,** Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION,**
Chuo-ku, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/551,636**

(22) Filed: **Jan. 15, 2016**

(30) **Foreign Application Priority Data**

Jul. 17, 2015 (JP) 2015-016048

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/605**

(58) **Field of Classification Search**
USPC D12/500-605, 900; D5/30; D7/396.4,
D7/396.5, 588; 152/DIG. 12, 209, 209.8,
152/209.9, 209.12, 209.16, 209.26,
152/209.27, 517, 523, 524, 902, 903
CPC B60C 13/00; B60C 13/001; B60C 13/02;
B60C 1/00; B60C 1/0025; B60C 17/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,810 S *	7/1992	Unger	D7/396.4
D540,739 S *	4/2007	Maxwell	D12/605
D542,220 S *	5/2007	Shondel	D12/605
D543,499 S *	5/2007	Shondel	D12/605
D544,435 S *	6/2007	Kindig	D12/605
D563,310 S *	3/2008	Shondel	D12/605
D585,017 S *	1/2009	Shondel	D12/605
D605,583 S *	12/2009	Scheifele	D12/605
D606,488 S *	12/2009	Scheifele	D12/605

D638,784 S *	5/2011	Scheifele	D12/605
D640,188 S *	6/2011	Strader	D12/605
D645,812 S *	9/2011	Tokizaki	D12/605
D647,474 S *	10/2011	Takahashi	D12/605
D655,671 S *	3/2012	Yasunaga	D12/605
D708,121 S *	7/2014	Iwabuchi	D12/605
D711,816 S *	8/2014	Iwabuchi	D12/605

(Continued)

FOREIGN PATENT DOCUMENTS

JP	1366848 S	8/2009
JP	1535191 S	10/2015

OTHER PUBLICATIONS

Japanese Office Action issued in JP 2015-016048 dated Oct. 27, 2015.

Primary Examiner — Wan Laymon

Assistant Examiner — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a sidewall portion of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sidewall portion of an automobile tire showing my design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a fragmentary enlarged view showing the details of the sidewall portion defined by cross-section by lines 6-6 and 6-6 in FIG. 2; and,
FIG. 7 is a section view taken along line 7-7 in FIG. 6.
The broken lines are used to show portions of the tire that are not being claimed, and thus form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D730,819	S	*	6/2015	Scheifele	D12/605
D735,123	S	*	7/2015	Iwabuchi	D12/605
D735,124	S	*	7/2015	Iwabuchi	D12/605
D740,747	S	*	10/2015	Sato	D12/605
D749,499	S	*	2/2016	Iwabuchi	D12/605
D750,553	S	*	3/2016	Scheifele	D12/605
D768,067	S	*	10/2016	Kuwano	D12/605
D768,565	S	*	10/2016	Yasunaga	D12/605
D769,806	S	*	10/2016	Yasunaga	D12/605
D773,985	S	*	12/2016	Sakamoto	D12/605
D773,986	S	*	12/2016	Nakamura	D12/605
D773,988	S	*	12/2016	Itoi	D12/605

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

