



US00D791708S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,708 S**
Shibata (45) **Date of Patent:** **** Jul. 11, 2017**

(54) **WATERPROOF CONNECTOR**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Molex, LLC**, Lisle, IL (US)

JP D1347083 12/2008
JP D1358540 5/2009

(72) Inventor: **Shinsuke Shibata**, Yamato (JP)

(73) Assignee: **Molex, LLC**, Lisle, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/549,504**

(22) Filed: **Dec. 22, 2015**

(30) **Foreign Application Priority Data**

Jun. 26, 2015 (JP) 2015-014179

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/149; D13/147**

(58) **Field of Classification Search**

USPC D13/123, 133, 134, 137.1–137.4, 138.1,
D13/138.2, 139.1, 139.7, 144–147, 149,
D13/155, 156, 173, 184, 199

CPC H01R 13/50; H01R 13/502; H01R 13/52;
H01R 13/521; H01R 13/58; H01R 13/62;
H01R 13/627; H01R 13/629; H01R 9/00;
H01R 13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D473,849 S 4/2003 Yeh
8,882,521 B2 * 11/2014 Conway H01R 13/5213
439/157

9,028,267 B2 5/2015 Furuya
2001/0044228 A1 * 11/2001 Noro H01R 13/62938
439/157

2002/0127912 A1 9/2002 Hamai
2006/0040535 A1 * 2/2006 Koshy H01R 13/62977
439/157

2007/0128900 A1 6/2007 Bauman

(Continued)

OTHER PUBLICATIONS

Molex—CMC Sealed, Hybrid, Modular Connectors and Headers, dated Nov. 11, 2013, [online], [site visited Dec. 13, 2016]. Available from Internet, <URL: <https://www.youtube.com/watch?v=7ZNe4qvVICK>>.*

Primary Examiner — Thomas Johannes

Assistant Examiner — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — James A. O'Malley

(57) **CLAIM**

The ornamental design for a waterproof connector, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of an embodiment of a waterproof connector;

FIG. 2 is another perspective view of the embodiment depicted in FIG. 1;

FIG. 3 is an elevated side view of the embodiment depicted in FIG. 1 taken from a first direction;

FIG. 4 is an elevated side view of the embodiment depicted in FIG. 1 taken from a second direction, the second direction being opposite the first direction;



FIG. 5 is top view of the embodiment depicted in FIG. 1; FIG. 6 is bottom view of the embodiment depicted in FIG. 1;

FIG. 7 is an elevated front view of the embodiment depicted in FIG. 1; and,

FIG. 8 is an elevated rear view of the embodiment depicted in FIG. 1.

The broken line portion of the figure drawings is included to show portions of the article that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0197081	A1 *	8/2007	Patterson	H01R 13/62955 439/372
2010/0081313	A1 *	4/2010	Komiyama	H01R 13/62977 439/341
2011/0014805	A1 *	1/2011	Sakamaki	H01R 13/62955 439/153
2011/0021048	A1 *	1/2011	Sakamaki	H01R 13/4361 439/157
2011/0021064	A1	1/2011	Shibata	
2011/0034049	A1 *	2/2011	Shishikura	H01R 13/62944 439/157
2011/0086529	A1 *	4/2011	Kobayashi	H01R 13/62966 439/157
2011/0086533	A1 *	4/2011	Kobayashi	H01R 13/62938 439/345
2012/0208383	A1 *	8/2012	Kobayashi	H01R 13/62955 439/133
2016/0079699	A1	3/2016	Kobayashi	
2016/0190738	A9	6/2016	Henmi	
2016/0315413	A1 *	10/2016	Kobayashi	H01R 13/521
2016/0336686	A1	11/2016	Obata	

* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8