



US00D791862S

(12) **United States Design Patent** (10) **Patent No.:** **US D791,862 S**
Toba et al. (45) **Date of Patent:** **** Jul. 11, 2017**

(54) **PROCESS CARTRIDGE FOR IMAGE FORMING APPARATUS**
(71) Applicant: **Canon Kabushiki Kaisha**, Ohta-ku, Tokyo (JP)
(72) Inventors: **Shinjiro Toba**, Yokohama (JP); **Masanari Morioka**, Yokohama (JP); **Ryosuke Nakazawa**, Yokohama (JP); **Yuichi Fukui**, Yokosuka (JP); **Tetsushi Uneme**, Kawasaki (JP)

D477,631 S * 7/2003 Mori D18/40
D489,753 S 5/2004 Batori et al. D18/40
D508,074 S 8/2005 Batori et al. D18/40
D519,150 S 4/2006 Kojima et al. D18/40
D522,565 S * 6/2006 Sanada D18/43
D554,696 S * 11/2007 Long D18/43
D587,304 S * 2/2009 Murayama D18/43
D588,633 S * 3/2009 Oda D18/43
D589,551 S * 3/2009 Han D18/43
D591,338 S * 4/2009 Kusudo D18/43
D598,950 S * 8/2009 Kusudo D18/43

(Continued)

(73) Assignee: **Canon Kabushiki Kaisha**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/529,582**

(22) Filed: **Jun. 9, 2015**

(30) **Foreign Application Priority Data**

Dec. 10, 2014 (JP) 2014-027540

(51) **LOC (10) Cl.** **16-03**

(52) **U.S. Cl.**
USPC **D18/43**

(58) **Field of Classification Search**
USPC D14/471, 474, 475; D16/246; D18/12, D18/36-39, 40, 43, 44, 49, 50-59; 347/121, 122, 222-224; 399/24-30, 399/107-125, 222-224, 252-262, 399/343-360; 222/DIG. 1
CPC G03G 15/00; G03G 15/08; G03G 15/0815; G03G 21/08; G03G 21/1814; G03G 21/1835; G03G 21/185; G03G 21/1842; G03G 21/1857; G03G 21/1853; G03G 21/16-21/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D462,984 S * 9/2002 Hayashi D18/40
D464,079 S * 10/2002 Funayama D18/43

OTHER PUBLICATIONS

U.S. Appl. No. 29/529,581, filed Jun. 9, 2015.
U.S. Appl. No. 29/529,583, filed Jun. 9, 2015.

Primary Examiner — Wan Laymon

Assistant Examiner — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Fitzpatrick, Cella, Harper & Scinto


(57) **CLAIM**

The ornamental design for a process cartridge for image forming apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a process cartridge for image forming apparatus showing our new design; FIG. 2 is a rear view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; and, FIG. 7 is a front perspective view thereof. The broken lines illustrate portions of the process cartridge for image forming apparatus that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D614,691 S	4/2010	Abe et al.	D18/43
D631,088 S *	1/2011	Chadani	D18/43
D631,089 S *	1/2011	Chadani	D18/43
D631,090 S *	1/2011	Chadani	D18/43
D631,091 S *	1/2011	Chadani	D18/43
D631,092 S	1/2011	Nittani et al.	D18/43
D632,731 S	2/2011	Abe et al.	D18/43
D633,137 S *	2/2011	Chadani	D18/43
D637,225 S *	5/2011	Kishi	D18/43
D638,056 S *	5/2011	Kanno	D18/43
D638,057 S *	5/2011	Kanno	D18/43
D639,335 S *	6/2011	Kanno	D18/43
D639,846 S *	6/2011	Kanno	D18/43
D723,614 S *	3/2015	Shimizu	D18/43
D746,904 S *	1/2016	Kitagawa	D18/43
D763,347 S *	8/2016	Goto	D18/43

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7