



US00D791889S

(12) **United States Design Patent**
Goldman et al.

(10) **Patent No.:** **US D791,889 S**
(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **BALL WITH COMPLEX GRIPPING SURFACE**

(71) Applicant: **Tucker International LLC**, Hamilton Township, NJ (US)

(72) Inventors: **Michael J. Goldman**, Delran, NJ (US); **Christopher F. Lauria**, Cherry Hill, NJ (US)

(73) Assignee: **Tucker International LLC**, Hamilton Township, NJ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/582,740**

(22) Filed: **Oct. 30, 2016**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/527,990, filed on May 22, 2015, now abandoned.

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/707; D21/713**

(58) **Field of Classification Search**
USPC D21/398, 406, 466, 468, 707-714;
D30/160; 473/569, 595, 596, 612, 613;
119/707-711
CPC A63B 37/0001; A63B 37/10; A63B 37/12;
A63B 37/14; A63B 39/00; A63B 39/06;
A63B 2039/003; A63B 43/00; A63B
43/002; A63B 43/007; A63B 43/008;
A63B 43/02; A63B 43/04; A63B
2043/001; A01K 15/025; A01K 15/026;
A63H 33/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D95,034 S * 4/1935 Frederick D21/713
2,699,901 A * 1/1955 Concepcion B27J 1/02
242/435

2,791,868 A * 5/1957 Viken A63H 33/062
428/11
3,889,950 A * 6/1975 Kasravi A63H 33/18
190/1
4,248,424 A * 2/1981 Judkins A63B 39/06
273/DIG. 20
4,813,674 A * 3/1989 Lorhpiat A63B 39/00
446/107
D308,994 S * 7/1990 Norman D21/713
D332,982 S * 2/1993 Norman D21/713
5,224,959 A * 7/1993 Kasper A63B 21/0084
446/26
5,566,937 A * 10/1996 Lorhpiat A63B 39/00
446/107
D379,105 S * 5/1997 Wilk D21/714
D489,494 S * 5/2004 Silverglate D21/713
D563,609 S * 3/2008 Gick D30/160
D631,213 S * 1/2011 Morton D30/160
8,025,550 B2 * 9/2011 Tsengas A01K 15/025
119/707
D646,735 S * 10/2011 Nichols D21/398

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — LaMorte & Associates, P.C.



(57) **CLAIM**

The ornamental design for a ball with complex gripping surface, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a ball with complex gripping surface;
FIG. 2 is a back view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D680,698	S *	4/2013	McWilliams	D30/121
D690,785	S *	10/2013	Silverglate	D21/713
D776,371	S *	1/2017	Tome	D30/160
2004/0134136	A1 *	7/2004	Shearing	B64B 1/06 52/81.2
2008/0248898	A1 *	10/2008	Morgan	A63B 37/0003 473/373
2009/0156092	A1 *	6/2009	Zawitz	A63B 39/00 446/438
2015/0181839	A1 *	7/2015	Baikie	A01K 15/026 119/710
2016/0107047	A1 *	4/2016	Canobbio	A63B 43/002 473/603

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6