



US00D791898S

(12) **United States Design Patent**
Khoshnood et al.

(10) **Patent No.:** **US D791,898 S**

(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **ARCHERY BOW VIBRATION DAMPENER**

D735,830 S * 8/2015 Khoshnood D22/107
D775,705 S * 1/2017 Khoshnood D22/107
D775,706 S * 1/2017 Khoshnood D22/107

(71) Applicants: **Bahram Khoshnood**, Alpharetta, GA
(US); **David L. Potts**, New
Philadelphia, OH (US)

* cited by examiner

(72) Inventors: **Bahram Khoshnood**, Alpharetta, GA
(US); **David L. Potts**, New
Philadelphia, OH (US)

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Walter A. Rodgers

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/548,245**

The ornamental design for an archery bow vibration dampener, as shown and described.

(22) Filed: **Dec. 11, 2015**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/107**

DESCRIPTION

(58) **Field of Classification Search**
USPC D22/107; D21/753
CPC F41B 5/1426; F41B 5/10; F41B 5/1407
See application file for complete search history.


FIG. 1 is a perspective view of an archery bow vibration dampener showing our new design;
FIG. 2 is a front elevational view thereof, the rear being the same in appearance;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a top plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D682,969 S * 5/2013 Khoshnood D22/107
D682,970 S * 5/2013 Khoshnood D22/107

1 Claim, 6 Drawing Sheets






Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6