



US00D791956S

(12) **United States Design Patent**
Stewart

(10) **Patent No.:** **US D791,956 S**
(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **ELECTRODE**
(71) Applicant: **Konan Medical USA, Inc.**, Irvine, CA
(US)
(72) Inventor: **Charles Wm. Stewart**, Laguna Beach,
CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/563,656**

(22) Filed: **May 6, 2016**

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/168, 186-187, 189-190, 200;
601/15; 600/382-384, 372-374, 376,
600/391-393, 544; 607/115-116, 118,
607/122, 129, 137, 142, 152; 602/20,
602/58-59; D28/4
CPC ... A61N 1/05; A61N 1/04; A61N 1/00; A61N
1/36; A61N 1/18; A61N 1/39; A61N
1/06; A61B 5/0408; A61B 18/14; A61B
5/04; A61B 5/00; A61B 5/042; A61B
18/18; A61B 5/0478; A61B 5/05; A61B
5/0416; A61B 5/04085; A61B 5/6841;
A61F 13/00034

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D355,489 S * 2/1995 Almond D24/189
5,409,451 A * 4/1995 Daneman A61F 5/05866
602/20
D425,992 S * 5/2000 Davis D24/189
6,076,003 A * 6/2000 Rogel A61B 5/04085
600/390
D440,315 S * 4/2001 Hassenbein D24/189
D443,063 S * 5/2001 Pisani D24/187

6,453,186 B1 * 9/2002 Lovejoy A61B 5/04085
600/386
D484,985 S * 1/2004 Takizawa D24/206
6,847,836 B1 * 1/2005 Sujdak A61B 5/6841
600/382
D505,206 S * 5/2005 Chastain D24/187
D541,421 S * 4/2007 Metzger D24/187
D658,299 S * 4/2012 McGusty D24/187
D658,768 S * 5/2012 Parker, III D24/187
D663,432 S * 7/2012 Nichols D24/190
8,238,996 B2 * 8/2012 Burnes A61B 5/04085
600/382
8,315,687 B2 * 11/2012 Cross A61B 5/04085
600/391

(Continued)

Primary Examiner — Ian Simmons
Assistant Examiner — Mark Cavanna
(74) Attorney, Agent, or Firm — Labatt, LLC


(57) **CLAIM**

The ornamental design for an electrode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electrode according to the present design.
FIG. 2 is a rear elevation view of the electrode shown in FIG. 1.
FIG. 3 is a left elevation view of the electrode shown in FIG. 1.
FIG. 4 is a top plan view of the electrode shown in FIG. 1.
FIG. 5 is a right elevation view of the electrode shown in FIG. 1.
FIG. 6 is a front elevation view of the electrode shown in FIG. 1; and,
FIG. 7 is a bottom plan view of the electrode shown in FIG. 1.
The broken lines illustrate portions of the electrode that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D674,098	S	*	1/2013	Nichols	D24/189
D674,099	S	*	1/2013	Nichols	D24/189
D674,493	S	*	1/2013	Nichols	D24/189
D687,555	S	*	8/2013	Peterson	D24/189
D690,019	S	*	9/2013	Nichols	D24/189
8,620,402	B2	*	12/2013	Parker, III	A61B 5/0006 600/391
D699,897	S	*	2/2014	Lara	D28/4
D702,356	S	*	4/2014	Vosch	D24/187
D702,357	S	*	4/2014	Vosch	D24/187
8,738,112	B2	*	5/2014	Choe	A61B 5/04085 600/391
D717,960	S	*	11/2014	Einck	D24/187
D718,458	S	*	11/2014	Vosch	D24/187
D719,660	S	*	12/2014	Vosch	D24/187
9,314,203	B2	*	4/2016	Peters	A61B 5/4343
D761,436	S	*	7/2016	Fogarty	D24/187
D764,672	S	*	8/2016	Vosch	D24/187
D767,151	S	*	9/2016	Wurapa	D24/189

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4

FIG. 5



FIG. 6




FIG. 7