



US00D791991S

(12) **United States Design Patent**
Brauser et al.

(10) **Patent No.:** **US D791,991 S**

(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **LED HARNESS**

(75) Inventors: **Gregory Brauser**, Ft. Lauderdale, FL (US); **Brandon Bal**, Ft. Lauderdale, FL (US)

(73) Assignee: **DOG-E-GLOW, LLC**, Redwood City, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/429,377**

(22) Filed: **Aug. 10, 2012**

(51) **LOC (10) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/39; D30/152**

(58) **Field of Classification Search**
USPC D26/37, 38, 39, 40, 42, 46, 51; 362/570, 362/103, 108, 106, 157, 158, 183, 362/194-196, 200-208, 253; D30/151, D30/152, 153, 144
CPC F21V 33/00; F21V 14/025; F21V 21/406; F21Y 2101/02; F21L 17/00; F21L 13/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,849,863 A * 7/1989 Gallegos 362/108
D336,550 S * 6/1993 Bishop D29/101.5
D453,594 S * 2/2002 Ishihara D30/152
6,685,338 B1 * 2/2004 Lewis et al. 362/234

D633,257 S * 2/2011 Trias D30/145
D634,461 S * 3/2011 Mattheis D26/38
7,918,578 B2 * 4/2011 Spartano et al. 362/105
7,926,967 B2 * 4/2011 Spartano et al. 362/105
D664,309 S * 7/2012 Mugford D30/152
D664,720 S * 7/2012 Leonard D30/145
8,256,384 B2 * 9/2012 Wheeler et al. 119/795
D673,738 S * 1/2013 Lanzendorf D30/145
D682,487 S * 5/2013 Tacker-Betancourt D30/152
D685,534 S * 7/2013 Selayandia, III D30/145
D701,356 S * 3/2014 Troll D30/153
D708,794 S * 7/2014 Monsalve et al. D30/152

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Malin Haley DiMaggio & Bowen, P.A.


(57) **CLAIM**

The ornamental design for a LED harness, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the LED harness, showing the new design;
FIG. 2 is a front elevation view of the LED harness;
FIG. 3 is a rear elevation view of the LED harness;
FIG. 4 is a right side elevation view of the LED harness;
FIG. 5 is a left side elevation view of the LED harness;
FIG. 6 is a top elevation view of the LED harness; and,
FIG. 7 is a bottom elevation view of the LED harness.
The broken lines depicted in the figures represent unclaimed details.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7