



US00D792001S

(12) **United States Design Patent**
Park

(10) **Patent No.:** **US D792,001 S**

(45) **Date of Patent:** **** Jul. 11, 2017**

(54) **LIGHT**

(71) Applicant: **SWAROVSKI LIGHTING, LTD.**,
Plattsburgh, NY (US)

(72) Inventor: **Saewoo Park**, Plattsburgh, NY (US)

(73) Assignee: **SWAROVSKI LIGHTING, LTD.**,
Plattsburgh, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/560,318**

(22) Filed: **Apr. 5, 2016**

Related U.S. Application Data

(62) Division of application No. 29/523,402, filed on Apr. 9, 2015, now Pat. No. Des. 762,910.

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/84; D26/88; D26/133**

(58) **Field of Classification Search**
USPC D26/76, 81, 83, 84, 86, 87, 88, 90, 91,
D26/118, 128, 129, 130-134
CPC F21S 8/04; F21S 8/043; F21S 8/046; F21S
8/06; F21S 8/061; F21S 8/063; F21S
8/065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 310,953 A * 1/1885 Mersereau F21V 5/04
29/511
- D16,746 S * 6/1886 Gillinder D26/131
- D56,715 S * 11/1920 Thompson D26/129
- 1,868,692 A 7/1932 Bruckmann
- D164,564 S * 9/1951 Franck D26/134
- D226,216 S * 1/1973 Rice D26/130

- 3,736,418 A 5/1973 Havlova, nee Stribny
- D233,907 S * 12/1974 Michaeli D26/130
- D237,003 S * 9/1975 Jahandideh D26/130
- 4,009,309 A * 2/1977 Holt B44F 1/063
362/361
- D261,561 S * 10/1981 Letourneau D26/131
- D278,659 S 4/1985 Lodrick, Sr.
- D311,773 S 10/1990 Freeman
- D315,809 S * 3/1991 Schoenfeld D26/130
- 5,623,790 A * 4/1997 Lalvani A63B 9/00
52/79.1
- D381,112 S * 7/1997 Hsu D26/134
- 5,941,631 A 8/1999 Hsu
- D443,100 S 5/2001 Wu
- D444,263 S * 6/2001 Dolan D26/130
- D459,536 S * 6/2002 Dolan D26/130
- D566,321 S 4/2008 Pickett
- D596,338 S 7/2009 Sabernig
- D601,743 S 10/2009 Sabernig

(Continued)

Primary Examiner — Clare E Hefflin

(74) *Attorney, Agent, or Firm* — Heslin Rothenberg
Farley & Mesiti P.C.; Jeff Rothenberg, Esq.


(57) **CLAIM**

The ornamental design for a light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the light of the present invention;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a right side elevation view thereof;
 FIG. 4 is a rear elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof; and,
 FIG. 8 is a bottom plan view of the ceiling mount thereof.
 The broken lines shown on the drawings depict portions of the light that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D615,693	S	5/2010	Thun	
D636,113	S *	4/2011	Finke	D26/122
D637,755	S	5/2011	Rabideau et al.	
D638,570	S	5/2011	Verelst	
8,011,812	B2	9/2011	Schnitzer	
D649,676	S	11/2011	Chen	
D653,794	S	2/2012	Friedman	
D668,376	S	10/2012	Urquiola	
D668,377	S	10/2012	Urquiola	
D692,176	S *	10/2013	Parres	D26/133
D697,662	S	1/2014	Patterson	
D708,383	S	7/2014	Miyake et al.	
D762,910	S *	8/2016	Park	D26/88

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7



FIG. 8