

US00D792029S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,029 S**  
**Keen** (45) **Date of Patent:** **\*\* Jul. 11, 2017**

(54) **EAR GUARD**

(56) **References Cited**

(71) Applicant: **Cliff Keen Athletic**, Ann Arbor, MI  
(US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Thomas Patrick Keen**, Ann Arbor, MI  
(US)

(73) Assignee: **Cliff Keen Athletic**, Ann Arbor, MI  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/586,771**

(22) Filed: **Dec. 7, 2016**

5,685,021 A \* 11/1997 Tsujino ..... A63B 71/10  
2/209  
D400,311 S \* 10/1998 Chartrand ..... D29/122  
D476,450 S \* 6/2003 Keen ..... D29/112  
D499,847 S \* 12/2004 Coutant ..... D29/122  
D547,909 S \* 7/2007 Purnell ..... D29/112  
D547,910 S \* 7/2007 Purnell ..... D29/122  
D548,404 S \* 8/2007 Purnell ..... D29/112  
D548,405 S \* 8/2007 Purnell ..... D29/122  
D616,609 S \* 5/2010 Copeland ..... D29/112  
D622,006 S \* 8/2010 Copeland ..... D29/112  
D629,569 S \* 12/2010 Copeland ..... D29/112  
8,291,520 B2 \* 10/2012 Lukens ..... A63B 71/10  
2/209  
D691,331 S \* 10/2013 Copeland ..... D29/112

\* cited by examiner

**Related U.S. Application Data**

(62) Division of application No. 29/527,313, filed on May  
18, 2015, now Pat. No. Des. 777,384.

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/122; D29/112**

(58) **Field of Classification Search**

USPC ..... D29/100, 102, 105, 106, 108, 112, 122;  
2/455, 410, 423, 424, 425, 9, 171, 206,  
2/208, 209, 918; D14/205, 223;  
181/129, 135; 379/430, 431; 381/380,  
381/381, 374  
CPC ..... A42B 3/16; A42B 3/163; A42B 3/166;  
A61F 11/06; A61F 11/08; A61F  
2011/085; A61F 11/10; A61F 11/12;  
A61F 11/14; A61F 2011/145; A63B  
71/10; H04R 1/10; H04R 1/1008; H04R  
1/1016; H04R 1/105; H04R 5/033; H04R  
5/0335

See application file for complete search history.

*Primary Examiner* — Randall Gholson

(74) *Attorney, Agent, or Firm* — Honigman Miller  
Schwartz and Cohn LLP

(57) **CLAIM**

The ornamental design for an ear guard, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an ear guard, showing  
my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side view thereof; and,

FIG. 8 is a right side view thereof.

The drawings show the design of an ear guard suitable for  
being worn against a left ear. The ornamental design also  
includes the mirror images of the drawings, i.e., the design  
of an ear guard suitable for being worn against a right ear.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8