



US00D792201S

(12) **United States Design Patent**
Baiz et al.

(10) **Patent No.:** **US D792,201 S**
(45) **Date of Patent:** **** Jul. 18, 2017**

- (54) **LUG NUT BOLT**
- (71) Applicant: **ESR PERFORMANCE CORP,**
Miami, FL (US)
- (72) Inventors: **Enrique J Baiz,** Miramar, FL (US);
Oswaldo Izquierdo, Homestead, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/557,763**
- (22) Filed: **Mar. 11, 2016**
- (51) **LOC (10) Cl.** **08-08**
- (52) **U.S. Cl.**
USPC **D8/387; D8/397**
- (58) **Field of Classification Search**
USPC D8/382, 387, 388, 391, 393, 397, 399;
D12/202, 213, 223, 400, 207, 208
CPC F16B 37/00; F16B 37/14; F16B 37/145;
F16B 35/04; F16B 35/06; F16B 41/00;
F16B 41/002; F16B 41/005; F16B 23/00;
B60B 23/06; B60B 23/08; B60B 27/065;
B60B 3/16; B60B 3/165; Y10S 411/91;
Y10S 411/914; Y10S 411/915; Y10T
70/5867
See application file for complete search history.

| | | | | |
|-------------------|---------|----------|-------|-------------------------|
| D446,111 S * | 8/2001 | Hussaini | | D8/29 |
| 6,435,791 B1 * | 8/2002 | Bydalek | | B60B 3/145 411/371.2 |
| 6,592,314 B1 * | 7/2003 | Wilson | | F16B 37/14 411/375 |
| 7,252,471 B1 * | 8/2007 | Manyoky | | F16B 37/00 411/427 |
| D746,129 S * | 12/2015 | Kishida | | D8/399 |
| 2002/0146301 A1 * | 10/2002 | Wilson | | F16B 37/14 411/429 |
| 2003/0068212 A1 * | 4/2003 | Wilson | | F16B 37/14 411/429 |
| 2004/0126202 A1 * | 7/2004 | Somers | | F16B 37/14 411/429 |
| 2005/0008451 A1 * | 1/2005 | Groppo | | B60C 27/02 411/431 |
| 2005/0008457 A1 * | 1/2005 | Winker | | B21K 1/70 411/533 |
| 2008/0044254 A1 * | 2/2008 | Wilson | | F16B 23/0007 411/429 |
| 2008/0193259 A1 * | 8/2008 | Hill | | F16B 37/00 411/533 |

(Continued)

Primary Examiner — Sandra Snapp
Assistant Examiner — Ieisha Price
(74) *Attorney, Agent, or Firm* — Quickpatents, LLC;
Kevin Prince

(57) **CLAIM**

The ornamental design for a lug nut bolt, as shown and described.


DESCRIPTION

FIG. 1 illustrates a front view of the lug nut bolt showing our new design with the rear elevation views being a mirror image thereof;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is an alternate bottom perspective view thereof;
FIG. 4 is a top perspective view thereof; and,
FIG. 5 is an alternate top perspective view thereof.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|-----------|-------|-------------------------|
| D268,565 S * | 4/1983 | Mortus | | D8/397 |
| 5,324,148 A * | 6/1994 | Notaro | | F16B 35/00 411/373 |
| 5,803,690 A * | 9/1998 | Savinsky | | F16B 23/0046 411/402 |
| 5,827,025 A * | 10/1998 | Henriksen | | F16B 39/26 411/11 |
| 6,106,077 A * | 8/2000 | Kluge | | B60B 3/165 301/122 |



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0116891 A1* 5/2011 Notaro F16B 41/005
411/372.5
2013/0149071 A1* 6/2013 Davis F16B 23/00
411/402
2014/0147226 A1* 5/2014
Andrade De
Souza F16B 31/021
411/3
2014/0363255 A1* 12/2014 Kishida B60B 27/065
411/372.6
2016/0238059 A1* 8/2016 Groppo F16B 37/14

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5