



US00D792319S

(12) **United States Design Patent**  
**B.V.**

(10) **Patent No.:** **US D792,319 S**

(45) **Date of Patent:** **\*\* Jul. 18, 2017**

(54) **ANCHOR**  
(71) Applicant: **STEVLOS B.V.**, Capelle Aan Den IJssel (NL)  
(72) Inventor: **Stevlos B.V.**, Capelle aan den IJssel (NL)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **35/500,885**

(22) Filed: **Oct. 30, 2015**

(80) **Hague Agreement Data**

Int. Filing Date: **Oct. 30, 2015**  
Int. Reg. No.: **DM/088081**  
Int. Reg. Date: **Oct. 30, 2015**  
Int. Reg. Pub. Date: **May 6, 2016**

(51) **LOC (10) Cl.** ..... **12-06**

(52) **U.S. Cl.**  
USPC ..... **D12/215**

(58) **Field of Classification Search**  
USPC ..... D12/215, 300, 317  
CPC ... B63B 21/26; B63B 21/46; B63B 2021/262;  
B63B 21/22; B63B 21/29; B63B 21/243;  
B63B 21/38; B63B 2221/20; B63B 21/24;  
B63B 21/34; B63B 21/48; B63B 21/30;  
B63B 21/36; B63B 21/44  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,706,595 A \* 11/1987 van den Haak ..... B63B 21/32  
114/294  
4,802,434 A \* 2/1989 Bruce ..... B63B 21/32  
114/294

4,831,952 A \* 5/1989 Dulhunty ..... B63B 21/44  
114/301  
4,869,193 A \* 9/1989 van den Haak ..... B63B 21/22  
114/294  
D306,424 S \* 3/1990 Bruce ..... D12/215  
4,995,326 A \* 2/1991 van den Haak ..... B63B 21/34  
114/301  
5,353,732 A \* 10/1994 Gramet ..... B63B 21/32  
114/304  
6,082,284 A \* 7/2000 McCabe ..... B63B 21/26  
114/301  
D444,440 S \* 7/2001 Peabody ..... D12/215  
D552,526 S \* 10/2007 Smith ..... D12/215  
7,467,597 B2 \* 12/2008 Degenkamp ..... B63B 21/26  
114/303  
D676,796 S \* 2/2013 Wood ..... D12/215  
8,468,966 B2 \* 6/2013 Van Den Ende ..... B63B 21/24  
114/294

\* cited by examiner

*Primary Examiner* — Michael A Pratt


(57) **CLAIM**

The ornamental design for an anchor, as shown and described.


**DESCRIPTION**

1. Anchor  
1.1 : Top  
1.2 : Left  
1.3 : Front


**1 Claim, 3 Drawing Sheets**



1.1



1.2



1.3

