



US00D792340S

(12) **United States Design Patent**
Iwabuchi

(10) **Patent No.:** **US D792,340 S**
(45) **Date of Patent:** **** Jul. 18, 2017**

- (54) **TIRE SIDEWALL**
- (71) Applicant: **BRIDGESTONE CORPORATION**,
Chuo-ku, Tokyo (JP)
- (72) Inventor: **Sotaro Iwabuchi**, Tokyo (JP)
- (73) Assignee: **BRIDGESTONE CORPORATION**,
Chuo-ku, Tokyo (JP)

D640,188 S *	6/2011	Strader	D12/605
D645,812 S *	9/2011	Tokizaki	D12/605
D647,474 S *	10/2011	Takahashi	D12/605
D655,671 S *	3/2012	Yasunaga	D12/605
D708,121 S *	7/2014	Iwabuchi	D12/605
D711,816 S *	8/2014	Iwabuchi	D12/605
D730,819 S *	6/2015	Scheifele	D12/605
D735,123 S *	7/2015	Iwabuchi	D12/605
D735,124 S *	7/2015	Iwabuchi	D12/605

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/567,338**

JP 2001-287512 A 10/2001

(22) Filed: **Jun. 8, 2016**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

Japanese Office Action for JP 2015-027505 dated Apr. 26, 2016.

Dec. 9, 2015 (JP) 2015-027505

(51) **LOC (10) Cl.** **12-15**

Primary Examiner — Wan Laymon

(52) **U.S. Cl.**

Assistant Examiner — Clint A Samuel

USPC **D12/605**

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(58) **Field of Classification Search**

(57) **CLAIM**

USPC D12/500-605, 900; D5/30; D7/396.4,
D7/396.5, 588; 152/DIG. 12, 209, 209.8,
152/209.9, 209.12, 209.16, 209.26,
152/209.27, 517, 523, 524, 902, 903

The ornamental design for a tire sidewall, as shown and described.

CPC B60C 13/00; B60C 13/001; B60C 13/02;
B60C 1/00; B60C 1/0025; B60C 17/08

DESCRIPTION

See application file for complete search history.

FIG. 1 is a perspective view of a tire sidewall showing my design;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,810 S *	7/1992	Unger	D7/396.4
D540,739 S *	4/2007	Maxwell	D12/605
D542,220 S *	5/2007	Shondel	D12/605
D543,499 S *	5/2007	Shondel	D12/605
D544,435 S *	6/2007	Kindig	D12/605
D563,310 S *	3/2008	Shondel	D12/605
D585,017 S *	1/2009	Shondel	D12/605
D605,583 S *	12/2009	Scheifele	D12/605
D606,488 S *	12/2009	Scheifele	D12/605
D638,784 S *	5/2011	Scheifele	D12/605

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a fragmentary enlarged view showing the details of the sidewall defined by cross-section by lines 6-6 and 6-6 in FIG. 2; and,

FIG. 7 is a section view taken along line 7-7 between 7-7 in FIG. 6.

The broken lines are used to show unclaimed environment, and thus form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D740,747 S	*	10/2015	Sato	D12/605
D749,499 S	*	2/2016	Iwabuchi	D12/605
D750,553 S	*	3/2016	Scheifele	D12/605
D768,067 S	*	10/2016	Kuwano	D12/605
D768,565 S	*	10/2016	Yasunaga	D12/605
D769,806 S	*	10/2016	Yasunaga	D12/605
D773,985 S	*	12/2016	Sakamoto	D12/605
D773,986 S	*	12/2016	Nakamura	D12/605
D773,988 S	*	12/2016	Itoi	D12/605

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7

