

US00D792391S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,391 S**
Gong (45) **Date of Patent:** **** Jul. 18, 2017**

(54) **MULTIMODE DEVICE WITH BASE**

Primary Examiner — Freda S Nunn

(71) Applicant: **LENOVO (BEIJING) CO., LTD.**,
Beijing (CN)

(74) *Attorney, Agent, or Firm* — Oppedahl Patent Law Firm LLC

(72) Inventor: **Tianyong Gong**, Beijing (CN)

(73) Assignee: **LENOVO (BEIJING) CO., LTD.**,
Beijing (CN)

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a multimode device with base, as shown and described.

(21) Appl. No.: **29/553,283**

(22) Filed: **Jan. 29, 2016**

Related U.S. Application Data

DESCRIPTION

(62) Division of application No. 29/493,897, filed on Jun. 13, 2014, now Pat. No. Des. 752,587.

FIG. 1 is a front side perspective view of a multimode device with base showing our new design.

(30) **Foreign Application Priority Data**

Dec. 13, 2013 (CN) 2013 3 0622025

FIG. 2 is a front side elevation view of FIG. 1.

(51) **LOC (10) Cl.** **14-02**

FIG. 3 is a back side elevation view of FIG. 1.

(52) **U.S. Cl.**

USPC **D14/315**

FIG. 4 is a right side elevation view of FIG. 1.

(58) **Field of Classification Search**

USPC D14/315-327; D18/1, 2, 7, 11;
235/145 A, 145 R; 341/22, 23; 345/104,
345/156, 168, 169, 173; 361/679.08,
361/679.09, 679.11, 679.26, 679.27

FIG. 5 is a left side elevation view of FIG. 1.

CPC G06F 1/16; G06F 1/1616; G06F 1/1626;
G06F 1/1632; G06F 1/1613; G06F
1/1601; G06F 1/1618; G06F 1/162; G06F
1/1679; G06F 1/1681; G06F 1/1683;
H01R 35/02; H03M 11/00; G09B 13/04;
H03K 17/94; G09G 5/00; F16M 11/10;
E05D 11/0081;

FIG. 6 is a top side plan view of FIG. 1.

FIG. 7 is a bottom side plan view of FIG. 1.

FIG. 8 is a front side perspective view with the hinge being in a first position.

FIG. 9 is a front side elevation view of FIG. 8.

FIG. 10 is a back side elevation view of FIG. 8.

FIG. 11 is a right side elevation view of FIG. 8.

FIG. 12 is a left side elevation view of FIG. 8.

FIG. 13 is a top side plan view of FIG. 8.

FIG. 14 is a bottom side plan view of FIG. 8.

FIG. 15 is a front side perspective view with the hinge being in a second position.

FIG. 16 is a front side elevation view of FIG. 15.

FIG. 17 is a back side elevation view of FIG. 15.

FIG. 18 is a right side elevation view of FIG. 15.

FIG. 19 is a left side elevation view of FIG. 15.

FIG. 20 is a top side plan view of FIG. 15; and,

FIG. 21 is a bottom side plan view of FIG. 15.

The features shown in broken lines in the drawings depict environmental subject matter and unclaimed borders and form no part of the claimed design.

(Continued)


(56) **References Cited**

U.S. PATENT DOCUMENTS

D556,755 S 12/2007 Lee et al.
D573,118 S 7/2008 Yang

(Continued)

1 Claim, 15 Drawing Sheets



(58) **Field of Classification Search**

CPC ... E05D 3/10; E05D 11/082; E05Y 2900/606;
H05K 5/0226; Y10T 16/52; Y10T 16/533;
Y10T 16/547; Y10T 16/5385; Y10T
16/5472; Y10T 16/5476; Y10T 16/54038

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D648,336	S	11/2011	Yagi	
D653,254	S	1/2012	Lu	
D682,797	S *	5/2013	Lee	D14/126
D704,156	S *	5/2014	Lee	D14/126
D727,898	S	4/2015	Yum et al.	
2002/0020792	A1 *	2/2002	Lee	F16M 11/10 248/278.1
2006/0237599	A1	10/2006	Ternus et al.	
2013/0044411	A1	2/2013	Zhen	

* cited by examiner




FIG.1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7




FIG.8



FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




Fig.15




FIG. 16




FIG. 17




FIG.18




FIG.19



FIG.20




FIG.21