

US00D792593S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,593 S**
Lim (45) **Date of Patent:** **** *Jul. 18, 2017**

(54) **LEAD CONNECTOR HEADER OF AN IMPLANTABLE PULSE GENERATOR**

(75) Inventor: **Wisit Lim**, Santa Clarita, CA (US)

(73) Assignee: **PACESETTER, INC.**, Sylmar, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/411,489**

(22) Filed: **Jan. 20, 2012**

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/155**

(58) **Field of Classification Search**

USPC D24/155–157, 167, 170, 186, 187;
600/300, 301, 368, 372, 481, 529, 544,
600/554, 561; 607/4, 5, 9, 30
CPC .. A61N 1/3627; A61N 1/3962; A61N 1/3622;
A61N 1/3956; A61N 1/368; A61N 1/39;
A61N 1/3684; A61N 1/36114; A61N
1/37427; A61N 1/056; A61N 1/362;
A61N 1/3968; G06F 19/3406
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D250,719 S * 1/1979 Jacobson et al. D24/167
D280,930 S * 10/1985 Speicher et al. D24/167
5,144,946 A * 9/1992 Weinberg et al. 607/2
D337,820 S * 7/1993 Hooper et al. D24/167
D343,901 S * 2/1994 Anderson D24/167
D478,990 S * 8/2003 Kroll D24/167
D523,144 S * 6/2006 Wenger et al. D24/155
D559,987 S * 1/2008 Strother et al. D24/187

D610,261 S * 2/2010 Strother et al. D24/186
8,032,221 B2 10/2011 Wengreen et al.
D663,035 S * 7/2012 Smith D24/187
D665,086 S * 8/2012 Smith D24/187
D665,087 S * 8/2012 Smith D24/187

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Charles Hanson

(57) **CLAIM**

I claim the ornamental design for a lead connector header of an implantable pulse generator, as shown and described.

DESCRIPTION

FIG. 1 is a front/right-side perspective view of a pulse generator of a first embodiment of my design showing having four lead receptacle holes in a front face of a header of the pulse generator and two setscrew holes on the right and left sides thereof.

FIG. 2 is a front/left-side view of the pulse generator of FIG. 1.

FIG. 3 is a rear/right-side view of the pulse generator of FIG. 1.

FIG. 4 is a rear/left-side view of the pulse generator of FIG. 1.

FIG. 5 is a rear elevation view of the pulse generator of FIG. 1.

FIG. 6 is a right side elevation view of the pulse generator of FIG. 1.


FIG. 7 is a top plan view of the pulse generator of FIG. 1.

FIG. 8 is a front elevation view of the pulse generator of FIG. 1; and,

FIG. 9 is a left side elevation view of the pulse generator of FIG. 1.

The broken line showing is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6





FIG. 7




FIG. 8




FIG. 9