

US00D792626S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,626 S**
Casper et al. (45) **Date of Patent:** **** Jul. 18, 2017**

(54) **LIGHTING FIXTURE**

(71) Applicant: **Ephesus Lighting, Inc.**, Syracuse, NY (US)

(72) Inventors: **Joseph R. Casper**, Syracuse, NY (US);
Christopher D. Nolan, Syracuse, NY (US); **Walten Peter Owens**, Syracuse, NY (US)

(73) Assignee: **Ephesus Lighting, Inc.**, Syracuse, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/549,639**

(22) Filed: **Dec. 28, 2015**

(51) **LOC (10) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/63; D13/179**

(58) **Field of Classification Search**
USPC D26/2, 63, 72, 118; D13/179
CPC F21V 29/745; F21V 29/75; F21V 29/76;
F21V 29/767; F21V 29/77; F21V 29/777
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D541,756 S	*	5/2007	Lee		D13/179
D629,930 S		12/2010	Cotter et al.		
D656,664 S		3/2012	Son		
D661,822 S		6/2012	Jeon et al.		
D666,331 S		8/2012	Chen		
D687,986 S		8/2013	Maxik et al.		
D698,475 S	*	1/2014	Korpi		D26/63
D698,477 S	*	1/2014	Korpi		D26/63
D701,637 S		3/2014	Xue et al.		
D706,460 S		6/2014	Lu		
D709,642 S		7/2014	Maxik et al.		

D716,972 S		11/2014	Yang et al.		
D717,476 S		11/2014	Xue et al.		
D719,684 S		12/2014	Grajcar		
D719,695 S	*	12/2014	Szoke		D26/63
D733,352 S		6/2015	Casper et al.		
D736,443 S	*	8/2015	Weyse		D26/63
D739,064 S	*	9/2015	Heiner		D26/63
9,121,554 B2	*	9/2015	Shimizu		F21V 29/773
D745,709 S	*	12/2015	Iguma		D26/2
D747,525 S	*	1/2016	Guercio		D26/63
D748,838 S	*	2/2016	Brynjolfsson		D26/63
D748,840 S	*	2/2016	Lee		D26/2
D756,012 S	*	5/2016	Yu Shu		D26/63
D767,190 S	*	9/2016	Tsai		D26/63

(Continued)

OTHER PUBLICATIONS

“All Field Series” Fixtures shown in the Ephesus Lighting Brochure No. BR507007EN dated Jan. 2017. (8 pages).*

Primary Examiner — Clare E Hefflin

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP



(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is first side of a lighting fixture.
FIG. 2 is a second side of a lighting fixture from a first side.
FIG. 3 is a front view of a lighting fixture from a second side.
FIG. 4 is a rear view of a lighting fixture.
FIG. 5 is a bottom view of a lighting fixture.
FIG. 6 is a top view of a lighting fixture.
FIG. 7 is a first perspective view of a lighting fixture; and,
FIG. 8 is a second perspective view of a lighting fixture.
The broken lines shown on the drawings depict portions of the lighting fixture that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D780,357 S *	2/2017	Kliegl	D26/63
2009/0147520 A1 *	6/2009	Liu	F21V 29/75
			362/294
2014/0096934 A1 *	4/2014	Xiong	F21V 29/77
			165/86
2016/0091192 A1 *	3/2016	Lin	F21V 29/74
			362/294
2016/0363302 A1 *	12/2016	Madril	F21V 29/76

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8