

US00D792653S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,653 S**
Keen (45) **Date of Patent:** **** Jul. 18, 2017**

(54) **EAR GUARD**

(71) Applicant: **Cliff Keen Athletic**, Ann Arbor, MI
(US)

(72) Inventor: **Thomas Patrick Keen**, Ann Arbor, MI
(US)

(73) Assignee: **Cliff Keen Athletic**, Ann Arbor, MI
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/586,752**

(22) Filed: **Dec. 6, 2016**

Related U.S. Application Data

(62) Division of application No. 29/527,313, filed on May 18, 2015, now Pat. No. Des. 777,384.

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/122; D29/112**

(58) **Field of Classification Search**

USPC D29/100, 102, 105, 106, 108, 112, 122;
2/455, 410, 423, 424, 425, 9, 171, 206,
2/208, 209, 918; D14/205, 223;
181/129, 135; 379/430, 431; 381/380,
381/381, 374

CPC A42B 3/16; A42B 3/163; A42B 3/166;
A61F 11/06; A61F 11/08; A61F
2011/085; A61F 11/10; A61F 11/12;
A61F 11/14; A61F 2011/145; A63B
71/10; H04R 1/10; H04R 1/1008; H04R
1/1016; H04R 1/105; H04R 5/033; H04R
5/0335

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,685,021 A * 11/1997 Tsujino A63B 71/10
2/209
D400,311 S * 10/1998 Chartrand D29/122

D476,450 S * 6/2003 Keen D29/112
D499,847 S * 12/2004 Coutant D29/122
D547,909 S * 7/2007 Purnell D29/112
D547,910 S * 7/2007 Purnell D29/122
D548,404 S * 8/2007 Purnell D29/112
D548,405 S * 8/2007 Purnell D29/122
D616,609 S * 5/2010 Copeland D29/112
D622,006 S * 8/2010 Copeland D29/112
D629,569 S * 12/2010 Copeland D29/112
8,291,520 B2 * 10/2012 Lukens A63B 71/10
2/209
D691,331 S * 10/2013 Copeland D29/112

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Honigman Miller
Schwartz and Cohn LLP

(57) **CLAIM**


The ornamental design for an ear guard, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an ear guard, showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a right side view thereof.

The drawings show the design of an ear guard suitable for being worn against a left ear. The ornamental design also includes the mirror images of the drawings, i.e., the design of an ear guard suitable for being worn against a right ear. The dashed lines in the drawing views depict portions of the design that form no part of the claim.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8