



US00D792692S

(12) **United States Design Patent**  
**Schouwenburg et al.**

(10) **Patent No.:** **US D792,692 S**

(45) **Date of Patent:** **\*\* Jul. 25, 2017**

(54) **ORTHOTIC INSERT FOR FOOTWEAR**

(71) Applicant: **Sols Systems Inc.**, New York, NY (US)

(72) Inventors: **Kegan Schouwenburg**, New York, NY (US); **Stephen van Beek Faletti**, Brooklyn, NY (US); **Richard G. Ranky**, Ridgewood, NJ (US); **Jacy Krystal Bulaon**, Baldwin, NY (US); **Jeff E. Smith**, Brooklyn, NY (US); **Jordan Diatlo**, Brooklyn, NY (US); **Nathan Sameh Ghabour**, Jersey City, NJ (US)

(73) Assignee: **Aetrex Worldwide, Inc.**, Teaneck, NJ (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/553,998**

(22) Filed: **Feb. 5, 2016**

(51) **LOC (10) Cl.** ..... **02-04**

(52) **U.S. Cl.**  
USPC ..... **D2/961; D24/192**

(58) **Field of Classification Search**  
USPC ..... D2/961, 896, 946, 947, 949, 968;  
D24/190, 192  
CPC ..... A43B 7/142; A43B 7/144; A43B 7/141;  
A43B 7/1445; A43B 7/14; A43B 7/28;  
A43B 7/00; A43B 7/1415; A43B 7/32;  
A43B 13/12; A43B 13/34; A43B 13/38;  
A43B 13/187; A43B 13/14; A43B 21/32;  
A43B 21/26; A43B 21/00; A43B 21/06  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,360,027 A \* 11/1982 Friedlander ..... A43B 7/14  
36/140  
4,776,109 A \* 10/1988 Sacre ..... A43B 17/08  
36/147

D332,003 S \* 12/1992 Brown ..... D2/961  
D383,894 S \* 9/1997 Snyder ..... D2/961  
D485,424 S \* 1/2004 Kielt ..... D2/961  
6,732,456 B2 \* 5/2004 Hussain ..... A43B 7/1455  
36/140  
D497,472 S \* 10/2004 Vasyli ..... D2/961  
D599,994 S \* 9/2009 Elliott ..... D2/961  
D695,000 S \* 12/2013 Feldman ..... D2/961  
D707,936 S \* 7/2014 Nash ..... D2/961  
D745,177 S \* 12/2015 Bauerfeind ..... D2/961  
D766,561 S \* 9/2016 Pedersen ..... D2/961

\* cited by examiner

*Primary Examiner* — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Lowenstein Sandler LLP


(57) **CLAIM**

The ornamental design for an orthotic insert for footwear, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of an orthotic insert for footwear showing our new design; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a side view thereof; FIG. 5 is an opposite side view thereof; FIG. 6 is a front view thereof; FIG. 7 is a rear view thereof; and, FIG. 8 is a perspective view of a second embodiment of an orthotic insert for footwear showing our new design. The broken lines shown in the drawings represent portions of an orthotic insert for footwear that form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7




FIG. 8